

THERMAL

HUNTING

TACTICAL

2022
DEALER WORKBOOK

STEINER 
Nothing Escapes You

MILITARY

MARINE

OUTDOOR



INSIDE

THERMAL | 4

RIFLESCOPES | 14

RETICLE SPECS | 42

BINOCULARS | 46

EOPTICS | 74

ACCESSORIES | 86


**OVER
70
YEARS**
OF PROVEN
EXCELLENCE

BLASTED BY AN IED IN IRAQ... STILL WORKING

These binoculars came out charred and misshapen, armor and chassis disfigured by fire and impact - but still working with the lens and prism systems intact.



WHAT IT TAKES TO BE A STEINER



OVER 72,000 STEINER M22 BINOCULARS

have served the U.S. military. When all is on the line, people around the world rely on Steiner.

WORLD-CLASS GERMAN ENGINEERING

In 1947, Karl Steiner started a one-man workshop in Bayreuth, Germany, obsessed with a single goal: creating optical products so functional, sturdy and uniformly flawless that nothing in the world could compare.



PRECISION MANUFACTURING

Steiner's state-of-the-art manufacturing facilities employ more than 460 high-precision manufacturing and inspection steps ensuring the highest quality product every time.

RAZOR-SHARP IMAGE CLARITY

100% IN-HOUSE OPTICS - Steiner grinds and polishes its own premium lenses and BaK4 prisms.

PROPRIETARY COATINGS - Steiner advanced lens coatings are applied to every air/glass surface to enhance light so your eyes perceive more contrast and brighter detail, even in low-light conditions.



ERGONOMIC DESIGN

Designed to maximize form and function, Steiner's binoculars and scopes are ergonomically perfect because the world never is.

LEGENDARY DURABILITY

Battle-proven technology is integrated into every Steiner product making them world-renowned for their toughness.





STEINER THERMAL



NIGHTHUNTER S35 | 6
NIGHTHUNTER H35 | 8
NIGHTHUNTER C35 | 10
CQT | 12

NIGHTHUNTER S35

NEW



QUANTUM
VISION
REVOLUTIONIZES
THERMAL

NIGHTHUNTER S35 OVERALL FEATURES

- QUANTUM VISION
- 640X480 12µm
- 50HZ
- 35MM F/1.0 FOCAL LENGTH
- PICTURE AND VIDEO RECORDING
- 16GB INTERNAL STORAGE
- 2.4 GHZ WIFI
- MOBILE APP CONNECTIVITY
- 6 COLOR PALETTES
- HOT SPOT TRACKING
- 9 RETICLE OPTIONS
- EASY ZERO PROCESS
- 5 BULLET OR RIFLE PROFILES
- PICTURE-IN-PICTURE
- STADIAMETRIC RANGEFINDER
- SCENE AND SHUTTER CALIBRATION MODES
- 3 SCENE MODES
- MICRO HDMI VIDEO OUT
- USB-C
- RUGGED DURABILITY
- MANUAL OBJECTIVE FOCUS
- > 5.5 HOUR BATTERY LIFE

NEW NIGHTHUNTER S35



Experience exceptional performance on the darkest of nights with crisp, clear images with the Steiner S35 Nighthunter thermal rifle scope, powered by **Quantum Vision**.

A perfect combination of a state-of-the-art thermal sensor, outstanding display quality and proprietary software. Quantum Vision technology, together with outstanding usability, handling and legendary ruggedness, creates a superb night hunting thermal rifle scope.

Easily detect coyotes and pigs past 2,000 yards and recognize within 500 yards taking predator and invasive species control to the next level. Customize color output, including Amber and display settings to maximize eye comfort on long nights behind the scope.

ITEM NO. 9521 UPC 840229105892

QUANTUM VISION

CORE/THERMAL SENSOR

- THE SHARPEST THERMAL IMAGES
- BEST IMAGERY FOR LIFE'S DEFINING MOMENTS
Fast and smooth automatic calibration
- CLEAR PICTURES OF MOVING TARGETS

STEINER ALGORITHM

- WHEREVER -WHENEVER
Steiner high speed software
- SEE WHILE OTHERS GUESS
High contrast and outstanding sensitivity
- CUSTOMIZABLE OUTPUT
Various modes and color palettes


DISPLAY

- OPTIMAL VISIBILITY -
IN ANY LIGHT CONDITION
High quality OLED display
- COMFORTABLE OBSERVATION
1024x768 Resolution



STEINER CONNECT APP
Connect. Stream. Share.





Exceptional Optic Performance

The Nighthunter S35 delivers on the darkest of nights with crisp, clear images in a reliable thermal optic.



Rugged Durability

Designed to operate in all conditions you might encounter in the field.



Quantum Vision

Perfect combination of the state-of-the-art thermal sensor, outstanding display quality and proprietary software.

SPECIFICATIONS

NIGHTHUNTER S35

ITEM NUMBER	9521	
WEIGHT (OZ.)	36 with batteries	
DIMENSIONS (IN.)LxWxH	8.5x3.5x3	
DETECTOR	Resolution	640 x 512@12μm
	Actual Resolution	640x480
	Spectrum	8 ~ 14μm
	NETD	≤50mk @ F1 25°C
LENS	Focal length	35mm F1.0
	Focus	Manual
	Field of view @ 100m	12.5 x 9.4 m
	Output frame rate	50Hz
POWER SUPPLY	Digital Zooming	1x—8x
	Battery	2*18650, changeable.
	Charging method	18650 charger, with multi changable plugs GB/AU/EU/CN/UL
	Adaptor	Standard USB power adaptor 5VDC, max, 10W
	Working time	Battery continous working time ≥4.5 hours @25°C (only watching)
	Charging Indicator	NA
	Work Indicator	No
INTERFACE	USB	TYPE C(USB 2.0 standard) , supplies power, supports data transmission
	Video interface	Micro HDMI
	WiFi	Support WiFi (APP) communication, realtime video transmission
	External Device	support external display
DISPLAY	Display	0.4 inch OLED
	Resolution	1024x768
	Eyepiece specs	Eye relief ≥ 40mm, Adjustable diopter -4 ~ +4
	Eyepiece Magnification	14x
	System Magnification	2x
	Max screen size with 1 meter distance	22 inch
	Video output format	digital video
SYSTEM	Booting Time	18s(from button press to realtimeimage)@25°C
	Memory capacity	16GB

DETECTION	Human	1800 m
	Vehicle	4400 m
RECOGNITION	Human	450 m
	Vehicle	1100 m
MOUNT	Includes Picatinny Rail adapter	
RETICLE CHOICES	9 different choices	
RETICLE COLORS	White Hot, Black Hot, Iron Red, Fire, Adjustable Red Hot, Amber	
RETICLE BRIGHTNESS	10 scales	
ZEROING	5 different weapon save locations (A B C D E)	
MSRP	\$ 6,599.99	

WARRANTY

The Nighthunter H35 thermal is covered by the Steiner 2 year warranty and Steiner will repair or replace your product if it is defective. Do not disassemble the thermal imager as this will void the warranty. Contact your nearest Steiner dealer for assistance.

NIGHTHUNTER H35

NEW



QUANTUM
VISION
REVOLUTIONIZES
THERMAL

NEW NIGHTHUNTER H35

STEINER HAS ALWAYS BEEN KNOWN FOR EXCEPTIONAL OPTICAL PERFORMANCE AND RUGGED DURABILITY - ESPECIALLY IN LOW LIGHT CONDITIONS WHERE QUALITY OPTICS OUTPERFORM THE COMPETITION. IN THAT SAME TRADITION, STEINER PROUDLY INTRODUCES THE NIGHTHUNTER LINE OF THERMAL OPTICS.

NIGHTHUNTER H35 OVERALL FEATURES

- EXCEPTIONAL OPTICAL PERFORMANCE
- RUGGED DURABILITY
- QUANTUM VISION
- MANUAL OBJECTIVE FOCUS



Designed to operate in all lighting conditions you might encounter in the field, Nighthunter delivers exceptional performance on the darkest of nights with crisp, clear images in a reliable thermal optic.

The heart of Nighthunter H35 is **Quantum Vision**. A perfect combination of a state-of-the-art thermal sensor, outstanding display quality and proprietary software. Quantum Vision technology, together with outstanding usability, handling and legendary ruggedness, creates the product you've been waiting for - and the competition has been dreading.

The Nighthunter line of thermal optics is the revolution of Steiner's drive to improve low light performance, and expansion of the highest performing, most durable optics on earth. Don't fear the dark - hunt confidently with Nighthunter.

ITEM NO. 9520 UPC 840229105816

QUANTUM VISION

CORE/THERMAL SENSOR

- THE SHARPEST THERMAL IMAGES
640x480 thermal sensor
- BEST IMAGERY FOR LIFE'S DEFINING MOMENTS
Fast and smooth automatic calibration
- CLEAR PICTURES OF MOVING TARGETS
High frame rate

STEINER ALGORITHM

- WHEREVER -WHENEVER
Steiner high speed software
- SEE WHILE OTHERS GUESS
High contrast and outstanding sensitivity
- CUSTOMIZABLE OUTPUT
Various modes and color palettes

DISPLAY

- OPTIMAL VISIBILITY -
IN ANY LIGHT CONDITION
High quality LCOS display
- COMFORTABLE OBSERVATION
1280x960 Resolution



STEINER CONNECT APP
Connect. Stream. Share.





Exceptional Optic Performance

The Nighthunter H35 delivers on the darkest of nights with crisp, clear images in a reliable thermal optic.



Rugged Durability

Designed to operate in all conditions you might encounter in the field.



Quantum Vision

Perfect combination of the state-of-the-art thermal sensor, outstanding display quality and proprietary software.

SPECIFICATIONS

NIGHTHUNTER H35

ITEM NUMBER	9520	
WEIGHT (OZ.)	24.5	
DIMENSIONS (IN.) LxWxH	9.2x 2.8x 2.8	
DETECTOR	Resolution	640 x 512@12μm
	Spectrum	8 ~ 14μm
	NETD	≤50mk @ F1 25°C
	Focal length	35mm F1.0
	Focus	Manual
LENS	Field of view @ 100m	12.5 x 9.4 m
	Output frame rate	50Hz
	System magnification	2x—16x
POWER SUPPLY	Battery	2 * 18650, 6000 mAh, built-in
	Charging method	Multi changable plugs GB/AU/EU/CN/UL
	Adaptor	Standard USB power adaptor 5VDC, max, 10W
	Working time	Battery continous working time ≥4.5 hours @25°C (only watching)
	USB	TYPE C (USB 2.0 standard), rechargeable,support data transmission
INTERFACE	Video interface	Micro HDMI
	WiFi	Support WiFi (APP) communication, realtime video transmission
	Display	LCOS
DISPLAY	Resolution	1280 x 960
	Max screen size with 1 meter distance	22 inch
	Magnification	2.04x
	Video output format	digital video
SYSTEM	Memory capacity	16GB
	Working temp	14°F — 122°F
	Storage temp	-22°F — 140°F
	Humidity	10% ~ 95%, not-condensing
ENVIRONMENT	Shock	30G 11ms semi-sinoidal IEC60068-2-27
	Vibration	10Hz ~ 150Hz ~ 10Hz 0.15mm IEC60068-2-6
	Drop	1m drop
	Waterproof	Yes
	Certification	UN38.3, RoHS, CE, FCC, EAC

DETECTION	Man	1800 m
	Vehicle	4400 m
	Deer	3200 m
	Coyote	2000 m
RECOGNITION	Man	450 m
	Vehicle	1100 m
	Deer	825 m
	Coyote	500 m
IDENTIFICATION	Man	225 m
	Vehicle	550 m
	Deer	400 m
	Coyote	250 m
MSRP	\$ 4,799.99	

WARRANTY

The Nighthunter H35 thermal is covered by the Steiner 2 year warranty and Steiner will repair or replace your product if it is defective. Do not disassemble the thermal imager as this will void the warranty. Contact your nearest Steiner dealer for assistance.

STEINER 
Nothing Escapes You

NIGHTHUNTER C35

NEW



QUANTUM
VISION
REVOLUTIONIZES
THERMAL

NIGHTHUNTER C35 OVERALL FEATURES

- QUANTUM VISION
- 640X480 12µm
- 50HZ
- 35MM F/1.0 FOCAL LENGTH
- PICTURE AND VIDEO RECORDING
- 16GB INTERNAL STORAGE
- 2.4 GHZ WIFI
- MOBILE APP CONNECTIVITY
- 6 COLOR PALETTES
- HOT SPOT TRACKING
- PICTURE-IN-PICTURE
- STADIAMETRIC RANGEFINDER
- SCENE AND SHUTTER CALIBRATION MODES
- 3 SCENE MODES
- MICRO HDMI VIDEO OUT
- USB-C
- RUGGED DURABILITY
- MANUAL OBJECTIVE FOCUS
- > 2.5 HOUR BATTERY LIFE

NEW NIGHTHUNTER C35



Transform any traditional optic into a thermal riflescope at a moment's notice or scan the field for heat signatures as a handheld with the Steiner C35 Nighthunter Thermal Clip-On, powered by **Quantum Vision**.

A perfect combination of a state-of-the-art thermal sensor, display quality and proprietary software. Quantum Vision technology, together with outstanding usability, handling and legendary ruggedness, deliver exceptional performance on the darkest of nights with crisp, clear images.

Quickly record videos or take photos at the push of a button with 16Gb of internal storage or stream and record directly to a mobile device using the Steiner Connect app.

ITEM NO. 9522 UPC 840229105885

QUANTUM VISION

CORE/THERMAL SENSOR

- THE SHARPEST THERMAL IMAGES
- BEST IMAGERY FOR LIFE'S DEFINING MOMENTS
Fast and smooth automatic calibration
- CLEAR PICTURES OF MOVING TARGETS

STEINER ALGORITHM

- WHEREVER -WHENEVER
Steiner high speed software
- SEE WHILE OTHERS GUESS
High contrast and outstanding sensitivity
- CUSTOMIZABLE OUTPUT
Various modes and color palettes

DISPLAY

- OPTIMAL VISIBILITY -
IN ANY LIGHT CONDITION
High quality OLED display
- COMFORTABLE OBSERVATION
800x600 Resolution



STEINER CONNECT APP
Connect. Stream. Share.





Exceptional Optic Performance

The Nighthunter H35 delivers on the darkest of nights with crisp, clear images in a reliable thermal optic.



Rugged Durability

Designed to operate in all conditions you might encounter in the field.



Quantum Vision

Perfect combination of the state-of-the-art thermal sensor, outstanding display quality and proprietary software.

SPECIFICATIONS

NIGHTHUNTER C35

ITEM NUMBER	9522	
WEIGHT (OZ.)	27.85 with batteries	
DIMENSIONS (IN.)LxWxH	7x3.625x2.5	
DETECTOR	Resolution	640 x 512@12μm
	Actual Resolution	640x480
	Spectrum	8 ~ 14μm
	NETD	≤50mk @ F1 25°C
LENS	Focal length	35mm F1.0
	Focus	Manual
	Field of view @ 100m	12.5 x 9.4 m
POWER SUPPLY	Output frame rate	50Hz
	Digital Zooming	1x—8x
	Battery	1*18650, changeable.
	Charging method	18650 charger, with multi changable plugs GB/AU/EU/CN/UL
	Adaptor	Standard USB power adaptor 5VDC, max, 10W
	Working time	Battery continous working time ≥2.5 hours @25°C (only watching)
	Charging Indicator	NA
	Work Indicator	No
INTERFACE	USB	TYPE C(USB 2.0 standard) , supplies power, supports data transmission
	Video interface	Micro HDMI
	WiFi	Support WiFi (APP) communication, realtime video transmission
	External Device	support external display
DISPLAY	Display	0.5 inch OLED
	Resolution	800x600
	Eyepiece specs	No diopter adjustment. Dayscope is used to view the clipon
	Eyepiece Magnification	6.8x
	System Magnification	1.0x (+/-5%)
	Max screen size with 1 meter distance	10.8 inches
SYSTEM	Video output format	digital video
	Booting Time	18s(from button press to realtimeimage)@25°C
	Memory capacity	16GB

DETECTION	Human	1800 m
	Vehicle	4400 m
RECOGNITION	Human	450 m
	Vehicle	1100 m
COLOR PALLETS	White Hot, Black Hot, Iron Red, Fire, Adjustable Red Hot, Amber	
MSRP	\$ 5,999.99	

WARRANTY

The Nighthunter H35 thermal is covered by the Steiner 2 year warranty and Steiner will repair or replace your product if it is defective. Do not disassemble the thermal imager as this will void the warranty. Contact your nearest Steiner dealer for assistance.

STEINER 
Nothing Escapes You

CQT CLOSE QUARTER THERMAL

CLOSE
QUARTERS™
THERMAL
SIGHT



THE FIRST CLEAR
VIEW THERMAL
(CVT™) SIGHT IN THE
WORLD. COMBINES
RED DOT WEAPON
SIGHT WITH SEE-
THROUGH THERMAL
IMAGE OVERLAID
ONTO A DIRECT
VIEW SCENE.

CQT



CQT OVERALL FEATURES

- CVT TECHNOLOGY OFFERS BOTH DAY AND NIGHT CLOSE-RANGE TARGET ACQUISITION AND ENGAGEMENT
- 2.5 MOA RED DOT RETICLE FOR PRECISION
- COMPATIBLE WITH FLIP-UP MAGNIFIERS
- BUILT TO FULL MIL-SPEC STANDARDS RUGGED, 20 M WATERPROOF
- OFFERS SEVERAL SELECTABLE ELECTRONIC RETICLES IN ADDITION TO THE RED DOT.
- THE OBJECTIVE LENSES FOR THE LWIR THERMAL CHANNEL ARE MADE ENTIRELY OUT OF GERMANIUM.

Quickly identify and engage targets. Ideal for situational awareness. No need for separate NVD in CQB or other close-range engagements.

ITEM NO. 9510 | UPC 000381895103





Outline Mode



Patrol Mode



Full Mode

SPECIFICATIONS

CQT | CLOSE QUARTER THERMAL SIGHT

DETECTOR

Detector Type	320 x 240 pixels @12 --m uncooled VOx microbolometer
Spectral Band	Long wave infrared 8-14 --m
NETD	60 mK

OPTICAL CHARACTERISTICS

Objective Diameter	18 mm, 1x optical magnification
Focusable	Factory focused: effective at ranges from 5 m to infinity
Eye Relief	90 mm @12° Thermal H0V, fixed diopter
Field of View	12.2° (H) x 9.8° (V)
Eyepiece Size	32 mm x 23 mm
Look through FOV (80 mm eye relief)	20 deg horizontal x 14 deg vertical
Red dot Adjustment click value	0.44 mrad / 1.5 MOA
Red dot horizontal adjustment range	+/-23 clicks, +/-10.0 mrad, +/-34.5 MOA
Red dot vertical adjustment range	+/-15 clicks, +/-6.5 mrad, +/-22.5 MOA
Red dot adjustment type	flat head screw click adjuster

DISPLAY

Microdisplay	High brightness green OLED, SVGA (800 x 600)
--------------	--

IMAGING

Frame Rate	60 Hz
Digital Zoom	1x, 2x, 3x, 4x
Electronic reticle adjustment click value	0.33 mrad / 1.1 MOA
Electronic reticle horizontal adjustment range	+/-169 clicks, +/-56.2 mrad, +/-193 MOA
Electronic reticle vertical adjustment range	+/-105 clicks, +/-34.9 mrad, +/-120 MOA

IMAGING Continued

Electronic reticle adjustment type	button press with digital display feedback
------------------------------------	--

ADVANCED FEATURES

Thermal Modes	Full, Patrol, Outline, Off
Digital Reticle	Crosshair, Crosshair + Dot, Crosshair + Circle, Dot, Box Dot, None
Aiming Point	2.5 MOA red dot, separately zeroed

POWER SUPPLY

Battery Type	(2) CR123A batteries
Battery Operating Time (max brightness)	Thermal run time: 8 hours Red dot run time: >1000 hours

ENVIRONMENTAL

Operating Temperatures	-40°C to +70°C
Shock	1000 G's
Immersion	1 m for 2 hours

PHYSICAL CHARACTERISTICS

Weight (with batteries)	583.3 g
Size	135 mm x 78 mm x 78 mm
Housing	Type III hard anodized 6061-T6 aluminum

DETECTION RANGE: MAN 500 m 1000 m

Detection	500 m
Recognition	300 m
Identification	200 m

DETECTION RANGE: VEHICLE

Detection	1000 m
Recognition	600 m
Identification	400 m
MAP/MSRP	\$9,999.99

STEINER 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase.

The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties

STEINER 
Nothing Escapes You

STEINER 
Nothing Escapes You



STEINER RIFLESCOPES



RIFLESCOPES FEATURES | 16
PREDATOR 4 SERIES | 18
P-SERIES | 20
T-SERIES | 22
M-SERIES | 24
M-SERIES IFS | 30
DRS1X | 32
T-SERIES SIGHTS | 34

MPS | 36
MRS | 37
T-SERIES AR MOUNT | 38
P-SERIES MOUNT | 39
RINGS | 41
RETICLE SPECIFICATIONS | 42

Riflescope Technology

Over the last decade, Steiner-Optik in Bayreuth, Germany has set the bar in premium rifle optics. Over 460 exacting steps ensure rigorous quality throughout design and manufacture. Relentless innovation creates technologies like the N2 Injection™ System, Steiner Nano-Protection®, and Neverlost Turrets. No optic will serve you better.



FEATURES:

NEW 7X AND 8X ZOOM SYSTEMS

Steiner now offers 4x up to 8x zoom systems providing the perfect solution for your application. These systems provide maximum range at the high end, wider field of view at the low end, and eliminates any tunneling effect to deliver the best image possible to your eye.

RUGGED CONSTRUCTION

Steiner scope tubes are milled from solid, high-grade aluminum stock so there are no welds or seams, for greater strength and durability. Hunting riflescopes feature 30 mm tubes, while the high-magnification tactical riflescopes boast oversized 34 mm tubes that provide greater elevation and windage adjustment at longer ranges.

BUILT FOR ABUSE

Durability is put to the test to ensure all Steiner riflescopes are fully shockproof to withstand endless abuse from high-powered


calibers. Scopes are impact tested on all optical and electronic components, and can withstand up to 900 Gs of impact.




PRECISION RETICLES

Steiner offers a wide variety of reticles perfectly suited to your hunting, competitive, or tactical shooting adventures. From clean, simple designs for fast-action target shooting, to detailed, precision reticles for long-range shooting, you'll experience premium accuracy with Steiner reticles.

See all our reticle options on page 32 or download the Steiner Reticle Guide at www.steiner-optics.com/download-catalog.



SCR Reticle



DMR8i Reticle



FOGPROOF AND WATERPROOF

For absolute fogproof and waterproof protection, Steiner seals 14-psi pressureized dry nitrogen into its optics, for premium clarity in any condition. Steiner's proprietary N₂ Injection™ System overpressurizes optics with nitrogen and trace helium. If seals are not absolutely tight, hyperbaric testing reveals escaped helium molecules, the optics are disassembled, and the process is repeated.

LIFETIME HERITAGE WARRANTY

The Steiner Heritage Warranty means we stand behind our products. We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.



See full warranty details at www.steiner-optics.com/product-warranties

PRECISION ADJUSTMENT SYSTEMS

Pinpoint accuracy is easily achieved with Steiner windage and elevation adjustment systems. Adjustment clicks are firm and audible. Tactical riflescopes have large, oversized knobs with easy-to-grip designs that allow for positive, non-slip adjustments.



PREDATOR 4 NEW SERIES



**HIGH DEFINITION
OPTICS MEET
PREDATOR
DIAMOND COATING**

**THE NEW PREDATOR
4 RIFLESCOPES
OFFERS A COMPACT,
LIGHTWEIGHT DESIGN
WHILE PROVIDING
THE MILITARY
RUGGEDNESS AND
DURABILITY YOU'VE
COME TO EXPECT
FROM STEINER!**

The 6-24x is a western hunter's dream offering the highest magnification scope in the Predator line.

For extreme precision and making those difficult mountain shots, the 50mm objective lens and side parallax adjustment provide a clear and bright image even at 24x magnification.

NEW**PREDATOR 4 6-24X50**

ITEM NO. 8773 | E3 RETICLE UPC 840229105496

For maximum versatility in a hunting rifle scope, the 4-16x offers the best of both worlds. The 4-16 magnification range ensures hunters can confidentially pursue game in all environments.

A 50mm objective lens and side parallax adjustment provide a clear and bright image across all magnifications.

NEW**PREDATOR 4 4-16X50**

ITEM NO. 8772 | E3 RETICLE UPC 840229105489


PREDATOR 4 SERIES OVERALL FEATURES

- **RUGGED AND LIGHTWEIGHT**
- **BEST-IN-CLASS OPTICAL CLARITY**
- **MASSIVE FIELD OF VIEW**
- **INDUSTRY LEADING LIGHT TRANSMISSION**
- **VERSATILE FOR DIFFERENT HUNTING PURSUITS**

The 2.5-10x is designed for the Midwest and Eastern hunter who needs to find game quickly even in dense environments. The compact and lightweight scope has a wide field of view, an illuminated reticle, and 2.5-10x magnification giving hunters the flexibility they need anywhere from timber to cornfields.

NEW**PREDATOR 4 2.5-10X42**

ITEM NO. 8770 | E3 RETICLE UPC 840229105458



E3 Reticle

Illuminated, second focal plane E3 reticle designed specifically for hunters



Rugged and lightweight

Designed to take the challenges afield, this series is consistently reliable regardless of your preferred rifle.



Versatile for Hunting

The Predator 4 comes in a variety of magnifications to fit your exact hunting needs.

SPECIFICATIONS

PREDATOR 4

	2.5-10x42	4-16x50	6-24x50
ITEM NUMBER	8770	8772	8773
MAGNIFICATION	2.5-10x	4-16x	6-24x
OBJECTIVE LENS DIA.	42mm	50mm	50mm
TUBE DIAMETER	30mm	30mm	30mm
FOCAL PLANE	2nd	2nd	2nd
FIELD OF VIEW @ 100 YD. (YDS.) LOW/HIGH	16m-4m/48ft-12ft	10m-2.5m / 30ft-7.5ft	6.7m-1.7m / 20.1ft-5.1ft
EYE RELIEF	90mm/3.5 inch	90mm/3.5 inch	90mm/3.5 inch
EXIT PUPIL	8.7mm-4.2mm /.34in -.16in	9.2mm- 3mm / .36in -.19in	8.2mm-2mm / .32in -.08in
LENGTH (IN.)	13.3	14.7	14.7
WEIGHT (OZ.)	22.7	23.7	23.5
DIOPTER ADJUSTMENT RANGE	-3dpt / +2dpt	-3dpt / +2dpt	-3dpt / +2dpt
RETICLE	E3	E3	E3
WINDAGE/ELEVATION CLICK VALUE	1/4 MOA	1/4 MOA	1/4 MOA
MAX ELEVATION RANGE	50 MOA	30 MOA	25 MOA
MAX WINDAGE RANGE	50 MOA	30 MOA	25 MOA
PARALLAX	fixed 100m/109 yds	18m to INF/20y to INF	50m to inf / 55yds to INF
TEMPERATURE RANGE	-13°F to +145°F	-13°F to +145°F	-13°F to +145°F
NITROGEN FILLED/FOGPROOF	Yes	Yes	Yes
WATERPROOF (FT.)	3 FT	3 FT	3 FT
BATTERY	CR2032	CR2032	CR2032
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP	\$1,039.99	\$1,099.99	\$1,149.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable products for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.

HERITAGE



WARRANTY
GENERATION
TO GENERATION

STEINER 
Nothing Escapes You

P-SERIES



**GIVE
YOURSELF
THE CLEAR
ADVANTAGE.**

DESIGNED FOR
PATROL AND TACTICAL
OPERATIONS, THE
RUGGED P4XI SCOPES
OFFER CLEAR IMAGES
AND A FAST-ACTION
RETICLE TO TACKLE
EVERY DAY USE OR
SUDDEN ACTION.

Close-combat scope with
30 mm tube, generous
field-of-view and new
P3TR illuminated reticle
for fast target acquisition.



OPTIC OF THE YEAR!

The Steiner P4Xi won the NRA's Shooting Illustrated Optic of the Year for 2018. "Lightweight and easy to use, the Steiner P4Xi 1-4x24 scope will be a first-rate choice for patrol rifles and AR platforms. You can't ask much more from a quality piece of tactical shooting glass."

This scope features a
proven and versatile 4x
zoom system with a true
1x that is perfect for close-
quarters engagements
and 400-yard accuracy at
the highest magnification.
Now updated with a G1
illuminated reticle and
locking diopter.

P4Xi-SERIES OVERALL FEATURES

- COMPACT & LIGHTWEIGHT DESIGN
- HIGH CONTRAST OPTICS
- WIDE FIELD OF VIEW
- P3TR AND G1 ILLUMINATED RETICLE

P4Xi 1-4X24




ITEM NO. 5202 UPC 000381852021

NEW

P4Xi 1-4X24



ITEM NO. 5204 UPC 000381852045




P3TR™ Reticle

The P3TR Reticle:

Designed for tactical rifles and CQB situations. The reticle is calibrated for 5.56 mm and 7.62 mm with stadia allowing you to confidently shoot to 600 yards.

The G1 Reticle:

The G1 allows the shooter the ability to quickly range and engage targets at distances up to 500 yards, while also allowing for quick and rapid shot placement at close range.



G1™ Reticle

SPECIFICATIONS

P4Xi

	1-4x24	1-4x24
ITEM NUMBER	5202	5204
MAGNIFICATION	1-4x	1-4x
OBJECTIVE LENS DIA.	24 mm	24 mm
TUBE DIAMETER	30 mm	30 mm
FOCAL PLANE	Second	Second
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	110-27.5	110-27.5
EYE RELIEF (IN.) LOW/HIGH	3.5 -4.0	3.5 -4.0
EXIT PUPIL (MM) LOW/HIGH	12.0 - 6.0	.47-.24 in
LENGTH (IN.)	10.3	17.3
WEIGHT (W/O CAPS) (OZ.)	17.3	17.3
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3
RETICLE	P3TR™	G1
ILLUMINATION CONTROL	Rotary Dial	Rotary Dial
ELEVATION ADJUSTMENT	.5 MOA	0.1 mil
WINDAGE ADJUSTMENT	.5 MOA	0.1 mil
WINDAGE RANGE @ 100 M	100 MOA	30 mRAD
ELEVATION RANGE @ 100 M	100 MOA	30 mRAD
PARALLAX/FOCUS	Fixed	Fixed
PARALLAX/FOCUS RANGE	100 yd.	100 yd.
NITROGEN FILLED	Yes	Yes
OPERATING TEMP. RANGE	-13°/ to +145° F	-13°/ to +145° F
LENS CAPS	No	No
WATERPROOF/FOGPROOF	Submersible to 33 Ft	Submersible to 33 Ft
BATTERY	CR2032	CR2032
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP	\$989.99	\$989.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



Proudly designed, machined and assembled in the USA.

HERITAGE



WARRANTY
GENERATION
TO GENERATION

STEINER
Nothing Escapes You



T-SERIES

GERMAN
PRECISION.
AMERICAN
PRIDE.



THE T5XI SERIES
OFFERS THE ULTIMATE
IN PRECISION,
RUGGEDNESS AND
VERSATILITY. THREE
MODELS TO MASTER
EVERYTHING FROM
CLOSE-QUARTERS TO
LONG-RANGE.

T5Xi-SERIES OVERALL FEATURES

- 5X ZOOM RANGE
- LOW-PROFILE NEVER-LOST™ TURRETS
- SECOND ROTATION INDICATOR
- ILLUMINATION - 4 NIGHT / 7 DAY LEVELS
- WATERPROOF/ FOGPROOF/ SHOCKPROOF
- LOCKING DIOPTER



Long-range scope with 34 mm tube, illuminated etched glass, front focal plane SCR reticle, low profile, resettable turrets and locking diopter ring.

ITEM NO. 5122 (SCR) UPC 000381851222
ITEM NO. 5126 (SCR-MOA) UPC 000381851260

Medium-range scope with 34 mm tube, illuminated etched glass, front focal plane Special Competition Reticle (SCR™), and a Second Rotation Indicator that shows each mil of elevation through the indication window on the elevation turret.



Close-combat scope with 30 mm tube, 3-Gun Tactical Reticle™ calibrated in 5.56 or 7.62, true 1x eyes-open capability for situational awareness and 5x power to engage distant targets.


ITEM NO. 5112 (SCR) UPC 000381851123
ITEM NO. 5114 (SCR-MOA) UPC 000381851147




ITEM NO. 5101 (3TR 5.56) UPC 000381851017
ITEM NO. 5102 (3TR 7.62) UPC 000381851024



Proudly designed,
machined and
assembled in the USA.



3TR™ Reticle
(5.56 OR 7.62)



SCR™ / SCR™-MOA Reticle



Consistent Eye Relief

A generous eye box eliminates the need to reposition your eye when changing magnification.

SPECIFICATIONS

	T5Xi				
	1-5x24	3-15x50	3-15x50	5-25x56	5-25x56
ITEM NUMBER	5101 / 5102	5112	5114	5122	5126
MAGNIFICATION	1-5x	3-15x	3-15x	5-25x	5-25x
OBJECTIVE LENS DIA.	24 mm	50 mm	50 mm	56 mm	56 mm
TUBE DIAMETER	30 mm	34 mm	34 mm	34 mm	34 mm
FOCAL PLANE	2nd	1st	1st	1st	1st
FIELD OF VIEW AT 100 YD. (FT.) LOW/HIGH	108 - 21	36 - 7.3	36 - 7.3	21.5 - 4.3	21.5 - 4.3
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3	3.5 - 4.3
EXIT PUPIL (MM) LOW/HIGH	11 - 4.8	12 - 3.4	12 - 3.4	11.2 - 2.3	11.2 - 2.3
LENGTH (IN.)	11.3	13.1	13.1	16.6	16.6
WEIGHT (OZ.)	19.4	29.8	29.8	33	33
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	3TR™ 5.56 / 3TR™ 7.62	SCR™	SCR-MOA	SCR™	SCR-MOA
ILLUMINATION CONTROL	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels	Illuminated Reticle with 4-Night/7-Day Levels
ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1/4 MOA	1 cm (0.1 mrad)	1/4 MOA
WINDAGE RANGE @ 100 M	300 cm (30 mils)	150 cm (15 mils)	54 MOA	150 cm (15 mils)	54 MOA
ELEVATION RANGE @ 100 M	300 cm (30 mils)	340 cm (34 mils)	120 MOA	260 cm (26 mils)	90 MOA
PARALLAX/FOCUS	Fixed	Side Focus	Side Focus	Side Focus	Side Focus
PARALLAX/FOCUS RANGE	100 yd.	25 yd. to Infinity	25 yd. to Infinity	50 yd. to Infinity	50 yd. to Infinity
NITROGEN FILLED	Yes	Yes	Yes	Yes	Yes
OPERATING TEMP. RANGE	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F	-13° F to +145° F
LENS CAPS	Yes	Yes	Yes	Yes	Yes
WATERPROOF/FOGPROOF	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.	Submersible to 33 ft.
BATTERY	CR2450	CR2450	CR2450	CR2450	CR2450
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP	\$1,977.99 \$1,804.99	\$2,369.99	\$2,369.99	\$2,610.99	\$2,610.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.

STEINER
Nothing Escapes You



TACTICAL

M-SERIES



**BUILT IN
GERMANY.
DESIGNED FOR
THE WORLD.**

THE GERMAN-
MADE M-SERIES
FEATURES WORLD-
CLASS ENGINEERING
AND OPTICAL
SYSTEMS, BUILT TO
STRICT MILITARY
SPECIFICATIONS AND
PRECISELY CRAFTED
FOR VICTORY - ON THE
BATTLEFIELD, OR IN
COMPETITION.

M5Xi 5-25X56

5-25X56



The premier Steiner long-range scope with 34 mm tube, true 25x magnification, etched glass reticle, and DuoScale™ elevation with second-rotation scale that's hidden when inactive.


ITEM NO. 8704-MSR V2 (MSR-V2) | BLACK UPC 840229103751

M-SERIES OVERALL FEATURES

- MIL-SPEC
- 5X ZOOM RANGE
- BROADBAND ANTI-REFLECTION COATINGS
- OPTIMIZED EXTERIOR DESIGN
- PRECISE WINDAGE/ELEVATION ADJUSTMENT
- ILLUMINATED RETICLE
- FOGPROOF & WATERPROOF DOWN TO 33 FT.
- SHOCKPROOF

HERITAGE

WARRANTY
GENERATION
TO GENERATION



MSR2 Reticle



Rugged and lightweight

Designed to take the challenges afield, this series is consistently reliable regardless of your preferred rifle.



Precise Adjustment

Insure repeated accuracy, with tactile, click-by-click feedback you can hear and feel.

SPECIFICATIONS

	M5Xi 5-25x56
ITEM NUMBER	8704-MSR V2
MAGNIFICATION	5-25x
COLOR	Black
OBJECTIVE LENS DIA.(MM)	56
TUBE DIAMETER	34mm
FOCAL PLANE	1st
FIELD OF VIEW AT 100 YD. (FT.) LOW/ HIGH	23.6 - 4.6
EYE RELIEF (IN.) LOW/HIGH	3.5 - 4.3
EXIT PUPIL (MM) LOW/HIGH	9.8 - 2.2
LENGTH (IN.)	16.6
WEIGHT (OZ.)	36.3
DIOPTER ADJUSTMENT RANGE	+2 to -3
RETICLE	MSR2
ILLUMINATION CONTROL	Rotary Digital Control with Intermediate Stops
ELEVATION ADJUSTMENT KNOB	Duo Scale™ / Resettable Zero
WINDAGE/ ELEVATION CLICK VALUE	1 cm (0.1 mrad)
WINDAGE RANGE @ 100 M	± 60 cm (± 6 mils)
ELEVATION RANGE @ 100 M	260 cm (26 mils)
PARALLAX/FOCUS RANGE	50m to Infinity
NITROGEN FILLED	Yes
OPERATING TEMP. RANGE	-40° - +160°F
LENS CAPS	Yes
WATERPROOF/ FOGPROOF	Submersible to 33 ft.
BATTERY	CR2450
SPECIAL FEATURES	Resettable Turrets, Second Rotation Indicator, Zero Stop
WARRANTY	Heritage™ Warranty
MSRP	\$4,013.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



STEINER 
Nothing Escapes You



M-SERIES

LONG RANGE
TARGETS BROUGHT
UP CLOSE AND
PERSONAL



LIGHTER, HIGHER-POWERED AND MORE VERSATILE, THESE NEW SCOPES TAKE LONG-RANGE PRECISION TO A WHOLE NEW LEVEL. YOUR TARGET IS SHARP, CLEAR AND AS GOOD AS DRILLED, NO MATTER WHEN OR WHERE.

4-28X56 M7Xi 4-28X56



The 7x zoom gives the operator more flexibility and higher resolution for all distances

ITEM NO. 8719-T3 | TREMOR 3 UPC 840229104215

ITEM NO. 8720-MSR2 | MSR2 - COYOTE BROWN UPC 840229104321

ITEM NO. 8720-T3 | TREMOR 3 - COYOTE BROWN UPC 840229104314

NEW

2.9-20X50 M7Xi 2.9-20X50



The new M7Xi 2.9-20x50 has been designed to resist the toughest conditions

ITEM NO. 8717-MSR2 | MSR 2 RETICLE UPC 840229104864


ITEM NO. 8717-T3 | TREMOR 3 RETICLE UPC 840229104857

ITEM NO. 8718-MSR2 | MSR 2 RETICLE COYOTE UPC 840229104987


ITEM NO. 8718-T3 | TREMOR 3 RETICLE COYOTE UPC 840229104970

M7Xi OVERALL FEATURES

- 7X ZOOM RANGES
- LOW PROFILE TURRETS
- SHORTER OVERALL LENGTH
- EXTENDED RANGE AND GREATER FIELD-OF-VIEW



MSR2 Reticle



Horus® TReMoR3 Reticle



Precise Adjustment

Insure repeated accuracy, with tactile, click-by-click feedback you can hear and feel.

SPECIFICATIONS

	M7Xi 4-28x56	M7Xi 4-28x56	M7Xi 2.9-20x50
ITEM NUMBER	8719-MSR2 8719-T3	8720-MSR2 8720-T3	8717-MSR2, 8717-T3 8718-MSR2, 8718-T3
MAGNIFICATION	4-28x	4-28x	2.9-20x
OBJECTIVE LENS DIA.	56mm	56mm	50mm
TUBE DIAMETER	34mm	34mm	34mm
FOCAL PLANE	1st	1st	1st
EYE RELIEF	3.54 in	3.54 in	3.4-3.2in
FIELD OF VIEW AT 100 M	9 - 1.42 m	9 - 1.42 m	12 - 1.78m
DIOPTR ADJUSTMENT	-2 to +2	-2 to +2	-2 to +2
PARALLAX ADJUSTMENT	50m to infinity	50m to infinity	50m to infinity
COLOR	Black	Coyote Brown	Black / Black / Coyote, / Coyote
LENGTH	15.2in	15.2in	13.8in
WEIGHT	33.5oz	33.5oz	32.5oz
OPERATING TEMPERATURE	-40° -+160°F	-40° -+160°F	-40° -+160°F
RETICLE OPTIONS	MSR2 / TReMoR 3	MSR2	MSR2 / TReMoR 3 MSR2 / TReMoR 3
ELEVATION RANGE @ 100 M	260 cm / 26 mils	260 cm / 26 mils	270 cm/27mils
WINDAGE RANGE @ 100 M	60 cm	60 cm	60 cm
WINDAGE ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)	1 cm (0.1 mrad)
BATTERY	CR2032	CR2032	CR2032
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$4,339.99 \$5,189.99	\$4,589.99 \$5,439.99	\$4,219.99 \$4,699.99 \$4,467.99 \$4,944.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.



M-SERIES



USED BY
SPECIAL
FORCES AROUND
THE GLOBE

STEINER SETS A
NEW BENCHMARK
WITH THE ULTIMATE
DMR (DESIGNATED
MARKSMAN
RIFLESCOPE) M8Xi
1-8X24 WITH AN
8X ZOOM AND AN
OUTSTANDING FIELD
OF VIEW

1-8X24 M8Xi 1-8X24




Building on the success of the M5Xi 1-5, the new M8Xi 1-8x24 has a shorter overall length leaving more rail space for mounting laser aiming, thermal imaging or night vision devices.

ITEM NO. 8723 UPC 840229104390

ITEM NO. 8724 - COYOTE BROWN UPC 840229104383

M8Xi OVERALL FEATURES

- NEW 8X ZOOM RANGES
- LOW PROFILE TURRETS
- SHORTER OVERALL LENGTH
- EXTENDED RANGE AND GREATER FIELD-OF-VIEW



DMR8i Reticle



Waterproof/Fogproof

Durable construction you can trust to stand up to any conditions. Waterproof to depths of 33 feet.



Precise Adjustment

Insure repeated accuracy, with tactile, click-by-click feedback you can hear and feel.

SPECIFICATIONS

	M8Xi 1-8x24
ITEM NUMBER	8723 8724
MAGNIFICATION	1-8x
OBJECTIVE LENS DIA.	24mm
TUBE DIAMETER	34mm
FOCAL PLANE	2nd
EYE RELIEF	3.54in
FIELD OF VIEW AT 100 M	32 - 4.5m
DIOPTR ADJUSTMENT	-2 to +2
PARALLAX ADJUSTMENT	Fixed @ 100m
COLOR	Black
LENGTH	10.8in
WEIGHT	26.5oz
OPERATING TEMPERATURE	-40° -+160°F
RETICLE OPTIONS	DMR8i
ELEVATION RANGE @ 100 M	260 cm / 26 mils
WINDAGE RANGE @ 100 M	60 cm
WINDAGE ELEVATION CLICK VALUE	1 cm (0.1 mrad)
BATTERY	CR2032
WARRANTY	Heritage™ Warranty
MSRP PRICE	\$4,073.99 \$4,341.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.



M-SERIES IFS



INTELLIGENT
FIRING SOLUTION
WITH HEADS UP
DISPLAY.

NO ACCURACY-KILLING
DISTRACTION. JUST
RAZOR-SHARP, SMART-
TECH FOCUS ON ALL
THAT MATTERS:
THIS. ONE. SHOT.



Intelligent Firing Solution with integrated customizable display
provides all the important information in real time to the operator.

ITEM NO. 8719-T3IFS | TREMOR 3 RETICLE UPC 840229104253

ITEM NO. 8719-MSR2IFS | MSR 2 RETICLE UPC 840229104260

ITEM NO. 8720-MSR2IFS - COYOTE BROWN | MSR 2 RETICLE UPC 840229104321

M-SERIES IFS OVERALL FEATURES

- BUILT-IN BALLISTIC CALCULATOR AND SENSOR SUITE
- HEADS UP DISPLAY OF FIRING SOLUTION
- DISPLAY AND USER INTERFACE
- BLUETOOTH CONNECTIVITY
- PRECISE WINDAGE/ELEVATION ADJUSTMENT
- OPTIMIZED TUBE AND KNOB CONFIGURATION
- WATERPROOF / FOGPROOF / SHOCKPROOF
- CUSTOM APP FOR PROGRAMING SIGHT AND DISPLAY

NEW

M7Xi IFS 2.9-20X50




Available in an IFS (Intelligent Firing Solution) model, the new M7Xi 2.9-20x50 has been designed to resist the toughest conditions.

ITEM NO. 8717-MSR2 IFS | MSR 2 RETICLE UPC 840229104895



STEINER CONNECT APP
Connect. Stream. Share.





Customized Display



Sensor Suite

Menu Key Panel and sensors provide real-time input for temperature barometric air pressure and inclination



Bluetooth Connectivity

Smart phones and other devices make it easy to set up and use the IFS.

SPECIFICATIONS

	M7Xi IFS 4-28x56	M7Xi IFS 2.9-20x50
ITEM NUMBER	8719-T3IFS / 8719-MSR2IFS 8720-MSR2IFS	8717-MSR2-IFS
MAGNIFICATION	4-28x	2.9-20x
OBJECTIVE LENS DIA.	56 mm	56mm
TUBE DIAMETER	34mm	34mm
FOCAL PLANE	1st	1st
EYE RELIEF (IN.)	3.54 (90 mm)	3.4 (87mm)
FIELD OF VIEW AT 100 M	9 - 1.42m	12m-1.78m
DIOPTER ADJUSTMENT	-2 to +2	+ 2 to - 2
PARALLAX ADJUSTMENT	50 meters to infinity	50 meters to infinity
LENGTH	15.4in	13.8in
WEIGHT	40.6oz	32.5oz
OPERATING TEMPERATURE	-40° -+160°F	-40° -+160°F
RETICLE	TReMoR 3 / MSR2	MSR2
ELEVATION RANGE @ 100M	260 cm / 26 mils	270 cm/27mils
WINDAGE RANGE @ 100M	60cm	60cm
WIND/ELEVATION CLICK VALUE	1 cm (0.1 mrad)	1 cm (0.1 mrad)
WATERPROOF	66 FT	65 FT
NITROGEN FILLED	Yes	Yes
BATTERY	1 x AA /CR2032	CR2032
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP	\$7,429.99 \$7,069.99 \$7,329.99	\$6,829.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



STEINER 
Nothing Escapes You

DRS1X



**ENGINEERED
FOR SPEED
SIMPLICITY AND
ACCURACY.**

**THE NEW DRS1X LIVES
UP TO ITS NAMESAKE
WITH RAPID AND
LETHAL TARGET
ENGAGEMENT AT
CLOSE QUARTERS**



DRS1X

The ultimate CQB sight, it is built with Steiner's legendary ruggedness. Lightweight, compact and simple to use.


HEIGHT 10.40 IN. | LENGTH 3.88 IN. | WEIGHT 10.40 OZ.
ITEM NO. 8503 UPC 000381885036

DRS1X OVERALL FEATURES

- **RUGGED MAGNESIUM BODY**
- **CHOOSE FROM 3 RETICLE OPTIONS**
- **SEVEN ILLUMINATION LEVELS (4 DAY/3 NIGHT)**
- **ADJUSTABLE FOR WINDAGE/ELEVATION**
- **WATERPROOF/FOGPROOF/SHOCKPROOF**
- **POWERED BY TWO (2) AA BATTERIES, BUT CAN OPERATE ON ONE**
- **2000+ HOURS OF BATTERY RUN TIME**
- **13-HOUR AUTO SHUTOFF**
- **CO-WITNESS WITH STANDARD, A2-HEIGHT IRON SIGHTS, OR USE ANY MAGNIFIER**

The **Defendu Reflex Sight** is so versatile and effective at close range, we've named it after the famed Lt. Colonel William Ewart Fairbairn, whose Close Quarters Combat system was designed to rapidly disable an opponent with potentially lethal force.

Perfect for tactical operations or home defense, the 1x reflex sight offers three reticles calibrated for speed and accuracy at 7, 25 and 50 yards.



C2 Reticle | Three Modes

7 yards



3,000+ Hours of Run Time

Powered with two AA batteries, this sight is stingy when it comes to power. Auto shut-off after 13 hrs.



Picatinny Rail Mount

Mounting height allows co-witness of iron sights.



Rugged Magnesium Body

Provides added durability under the most challenging circumstances.

SPECIFICATIONS

	DRS1X
ITEM NUMBER	8503
WINDOW SIZE (H/W IN.)	.96 / 1.26
LENGTH (IN.)	3.88
WEIGHT (OZ.)	10.40
HEIGHT (IN.)	2.57
RETICLE	1. Single 2 MOA Dot 2. Dot and Stadia 3. Dot, Stadia & Close Dot
ILLUMINATION	7 Levels - 4 day (7,6,5,4) - 3 night (3,2,1)
WINDAGE/ELEVATION CLICK VALUE	1/2 MOA
TOTAL WINDAGE RANGE	50 MOA
TOTAL ELEVATION RANGE	50 MOA
OPERATING TEMPERATURE	-22°F to 150°F
WATERPROOF DEPTH	5 meters
WATERPROOF & FOG PROOF	YES
BATTERY LIFE	~2800 hours Dot Only
BATTERY	2x AA Batteries
WARRANTY	Heritage Warranty
MSRP PRICE	\$789.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



Proudly designed, machined and assembled in the USA.

STEINER 
Nothing Escapes You



T-SERIES SIGHTS

NEW



DELIVERING
PRO FEATURES
TO THE WEEKEND
WARRIOR

FOR CLOSE AND
MEDIUM RANGE
ENGAGEMENTS, THE
NEW T-SERIES SIGHTS
PROVIDE FAST, CLEAR
AIMING POINTS IN ALL
LIGHT CONDITIONS.

Fixed 5x zoom with a 36mm objective lets you engage targets at longer ranges. Shockproof, fog proof and rubber armored to ensure durability at the range or in the field.

OBJECTIVE LENS 36 MM | MAGNIFICATION 5X
LENGTH 5.7 IN. | WEIGHT 17.8 OZ.
BATTERY CR2032 / 3V
ITEM NO. 8798-556 UPC 840229105182
ITEM NO. 8798-762 UPC 840229105175

5X36
T536 SIGHT

Like all T Series Sight, this 4x zoom model has an illuminated ballistic reticle with 10 brightness levels. It is calibrated for 5.56 and 7.62.

OBJECTIVE LENS 32 MM | MAGNIFICATION 4X
LENGTH 5.0 IN. | WEIGHT 16.6 OZ.
BATTERY CR2032 / 3V
ITEM NO. 8797-556 UPC 840229105168
ITEM NO. 8797-762 UPC 840229105151

4X32
T432 SIGHT


T-SERIES SIGHTS OVERALL FEATURES

- LIGHTER, MORE COMPACT THAN SIMILAR SIGHTS
- RUBBER ARMORING FOR GREATER DURABILITY
- FULLY ILLUMINATED BALLISTIC RETICLE
- PICATINNY RAIL FOR ACCESSORIES
- UP TO 60 MOA +/- ELEVATION / WINDAGE ADJUSTMENT

At 3x zoom, this sight is ideal for 3-gun competition or close quarter target engagement. All T-Series sights have a picatinny rail for additional accessories, adjustable diopter and lens covers.

OBJECTIVE LENS 32 MM | MAGNIFICATION 3X
LENGTH 4.8 IN. | WEIGHT 15.9 OZ.
BATTERY CR2032 / 3V
ITEM NO. 8796-556 UPC 840229105144
ITEM NO. 8796-762 UPC 840229105137

3X32
T332 SIGHT



Illuminated Ballistic Reticle
10 brightness settings for any light condition



Rugged Construction
Rubber armoring makes them tough, shockproof and waterproof (submersible up to 10 meters)



**Precise Windage/
Elevation Adjustment**
Turrets are easy to adjust and are ergonomically protected.

SPECIFICATIONS

	T536 5x36	T432 4x32	T332 3x32
ITEM NUMBER	8798-556 / 8798-762	8797-556 / 8797-762	8796-556 / 8796-762
MAGNIFICATION	5x	4x	3x
OBJECTIVE LENS	36mm	32mm	32mm
EXIT PUPIL (MM)	7.2	7.6	10.2
EYE RELIEF (IN.)	70	70	65
LENGTH (IN.)	5.7	5.0	4.8
WEIGHT (G / OZ.)	505g / 17.8	470 / 16.6	450 / 15.9
FIELD OF VIEW @ 100M	6.3m @ 100m	7.9m @ 100m	10.5m @ 100m
DIOPTER SETTING	+/- 2	+/- 2	+/- 2
RETICLE	Rapid Dot 5.56 Rapid Dot 7.62	Rapid Dot 5.56 Rapid Dot 7.62	Rapid Dot 5.56 Rapid Dot 7.62
PARALLAX ADJUSTMENT	Fixed at 100m	Fixed at 100m	Fixed at 100m
WINDAGE/ELEVATION ADJUSTMENT	35 MOA	40 MOA	50 MOA
ADJUSTMENT INCREMENT	0.1 mRad	0.1 mRad	0.1 mRad
OPERATING TEMPERATURE	-20 to +60 C	-20 to +60 C	-20 to +60 C
BATTERY	CR2032	CR2032	CR2032
MSRP	\$937.99	\$821.99	\$749.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steiner-optics.com/product-warranties


- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



STEINER 
Nothing Escapes You



MPS MICRO PISTOL SIGHT



**BUILT
FOR
BATTLE**

STEINER BRINGS BATTLE-PROVEN DURABILITY AND MIL-SPEC RUGGEDNESS TO PISTOL RED DOTS WITH THE NEW MPS (MICRO PISTOL SIGHT). ALL-METAL CONSTRUCTION AND ENHANCED SIDEWALLS COMPLETELY SEAL IN THE EMITTER. A RECESSED WINDOW WITH A METAL HOOD BLOCKS OBJECTS FROM REACHING THE FRONT LENS MAKING THIS ONE OF THE TOUGHEST PISTOL SIGHTS EVER CREATED.

MPS OVERALL FEATURES

- COMPACT SIZE
- DAYLIGHT BRIGHT DOT
- 13,000 HOUR BATTERY LIFE
- RUGGED DESIGN
- MULTIPLE MOUNTING OPTIONS

MPS MICRO PISTOL SIGHT

The completely enclosed LED is water tight making it reliable in the harshest weather and environmental conditions.



WEIGHT 2.05 OZ. | LENGTH 2.17 IN.
WIDTH .83 IN. | HEIGHT .63 IN. | BATTERY CR1632
ITEM NO. 8700-MPS UPC 840229105571



At 2.05 oz, the MPS is compact and lightweight offering Steiner quality glass and a robust feature set including 8 brightness levels, user-selectable auto-off, and 13,000 hours of battery life.

The 1X magnification offers an undistorted image for both eyes open operation and complete situational awareness. The MPS is compatible with most optic-ready pistols and baseplate adapters on the market.

SPECIFICATIONS

	MPS
ITEM NUMBER	8700-MPS
MAGNIFICATION	1x
WINDOW SIZE (H/W)	.63x.83 in.
LENGTH	2.17in.
WEIGHT	2.05 oz.
RETICLE	3.3 MOA
ILLUMINATION	8 brightness levels: 6 day/night modes, 2 night vision compatible modes.
LENS SIZE	Objective lens: 20x16mm; Ocular lens: 21x16mm
WINDAGE/ELEVATION CLICK VALUE	1 MOA per click
TOTAL WINDAGE RANGE	90 MOA
TOTAL ELEVATION RANGE	90 MOA
PARALLAX	Parallax free from 10m to 150m
OPERATING TEMPERATURE	-40° F to 140° F
WATERPROOF/FOGPROOF	10 meters
BATTERY	CR1632
BATTERY LIFE	13,000h @ medium brightness with auto-off after 13h
WARRANTY	Heritage™ Warranty
MSRP	\$574.99

STEINER 
Nothing Escapes You

MRS MICRO REFLEX SIGHT



EYES OPEN
CONTROL FOR
FAST TARGET
ACQUISITION.

MRS MICRO REFLEX SIGHT

Holographic 3 MOA red dot sight for close-distance situations. With both eyes open, situational awareness is improved and shooting is dot-on-target accurate with either hand.

THE LOW-PROFILE
MRS IS WELL-
BALANCED ON ANY
SHOOTING PLATFORM,
GIVING SHOOTERS
THE QUICKNESS,
CONFIDENCE, AND
ACCURACY TO CONTROL
THE OUTCOME.

WEIGHT 2.47 OZ. | LENGTH 1.89 IN.
WIDTH 1.81 IN. | HEIGHT 1.57 IN. | BATTERY CR1632
ITEM NO. 8700 UPC 840229101627

The 1x holographic **MRS Micro Reflex Sight** lets operators engage targets with both eyes open, for wider peripheral vision, greater situational awareness, and faster response—critical when engaging moving targets. The 3 MOA red dot is easy to find and quick to aim, ensures either-hand shooting accuracy, and won't obscure targets at longer distances. At only 2.5 oz., the low-profile MRS is well-balanced on any shooting platform, giving shooters the quickness, confidence, and accuracy to control the outcome.

MRS OVERALL FEATURES

- 1X MAGNIFICATION FOR BOTH-EYES-OPEN CAPABILITY.
- ACCURACY WITH EITHER HAND REGARDLESS OF EYE DOMINANCE.
- FULLY ADJUSTABLE WITH 1 MOA CLICK ADJUSTMENT.
- AUTOMATIC OR MANUAL BRIGHTNESS CONTROLS FOR DAY/NIGHT OPERATIONS
- ONE CR1632 BATTERY PROVIDES 550 HOURS OF OPERATION.

SPECIFICATIONS

MRS	
ITEM NUMBER	8700
MAGNIFICATION	1x
WINDOW SIZE (H/W IN.)	21x15mm
LENGTH (IN.)	1.89
WEIGHT (OZ.)	2.5
RETICLE	3 MOA Dot
ILLUMINATION	Auto Brightness Control + Manual
WINDAGE/ELEVATION CLICK VALUE	1 MOA
TOTAL WINDAGE RANGE	90 MOA
TOTAL ELEVATION RANGE	90 MOA
OPERATING TEMPERATURE	13°F to +131° F
WATERPROOF/FOGPROOF	Submersible to 33 ft.
BATTERY	CR 1632
SPECIAL FEATURES	Parallax-free
WARRANTY	Heritage Warranty
MSRP	\$619.99

T-SERIES AR MOUNT

YOUR
PERFECT
MOUNTING
SOLUTION.



THE STEINER T-SERIES CANTILEVER MOUNT OFFERS THE PERFECT MOUNTING SOLUTION FOR AR-15 AND FLATTOP PLATFORMS. MACHINED FROM RUGGED ALUMINUM ALLOY TO BE INCREDIBLY STRONG, YET LIGHTWEIGHT.

This cantilevered mount combines ruggedness, lightweight, and adaptability to be the perfect addition to your platform

T-Series AR Mount



ITEM NO. 5970 (30mm diameter, 35mm height)

UPC 000381859709

ITEM NO. 5971 (30mm diameter, 40mm height)

UPC 000381859716

ITEM NO. 5972 (34mm diameter, 40mm height, 25 MOA cant)

UPC 000381859723

T-SERIES AR MOUNT OVERALL FEATURES

- DESIGNED TO FIT 30MM SCOPES
- AVAILABLE IN TWO HEIGHTS: 35MM AND 40MM
- MOUNTS TO ANY PICATINNY-STYLE RAIL
- DESIGNED TO OFFER PERFECT EYE-RELIEF ON MODERN AR-PATTERN RIFLES


SPECIFICATIONS

T-Series AR Mount

	5970	5971	5972
SIZE	30mm	30mm	34mm
ACTUAL HEIGHT	1.3"	1.6"	1.6"
WEIGHT	6.05 oz.	6.5 oz.	6.4 oz.
MSRP	\$344.99	\$344.99	\$344.99



Proudly designed, machined
and assembled in the USA.



P-SERIES MOUNT



**ACCURACY
STARTS WITH
A SOLID
FOUNDATION**

**P-Series Mount
Cantilevered**

THE STEINER P-SERIES CANTILEVER MOUNT OFFERS THE PERFECT MOUNTING SOLUTION FOR FLATTOP PLATFORMS. MADE FROM RUGGED ALUMINUM ALLOY TO BE INCREDIBLY STRONG, YET LIGHTWEIGHT.

Accuracy on the range and in the field starts with a solid mount. Featuring a sleek design that shaves ounces without sacrificing durability and performance. Simple, yet effective.



ITEM NO. 5973 (30mm diameter, MSR Mount) UPC 000381859730
ITEM NO. 5974 (34mm diameter, MSR Mount) UPC 000381859747

P-SERIES MOUNT OVERALL FEATURES



- NEW LIGHTWEIGHT DESIGN
- AVAILABLE FOR 30MM AND 34MM TUBES
- MOUNTS TO ANY PICATINNY-STYLE RAIL
- PLACES YOUR OPTIC AT THE IDEAL HEIGHT

SPECIFICATIONS

	P-Series Mount	
	5973	5974
SIZE	30mm	34mm
ACTUAL HEIGHT	1.43 in.	1.43 in.
WEIGHT	6.7 oz.	6.7 oz.
MSRP	159.99	159.99



Proudly designed, machined and assembled in the USA.



STEINER 
Nothing Escapes You



RINGS



**ONLY RINGS
WORTHY
OF THE
STEINER
NAME.**

STEINER RINGS ARE
THE FOUNDATION
OF A PRECISION
SHOOTING SYSTEM.
DESIGNED AND
ENGINEERED TO
GUARANTEE
PRECISE OPTICAL
ALIGNMENT AND
SHOT-AFTER-SHOT
ACCURACY.

STEINER RINGS OVERALL FEATURES

- EASILY MOUNTS TO ANY PICATINNY STYLE RAIL
- DESIGNED FOR 30MM SCOPES
- AVAILABLE IN LOW, MEDIUM AND EXTRA HIGH

T-Series Rings

Steiner T-Series Rings offer the perfect riflescope mounting solution for precision shooting.



ITEM NO. 5960 - 30MM LOW UPC 000381859600
ITEM NO. 5961 - 30MM MEDIUM UPC 000381859617
ITEM NO. 5962 - 30MM HIGH UPC 000381859624
ITEM NO. 5963 - 30MM EXTRA HIGH UPC 000381859631
ITEM NO. 5964 - 34MM LOW UPC 000381859648
ITEM NO. 5965 - 34MM MEDIUM UPC 000381859655
ITEM NO. 5966 - 34MM HIGH UPC 000381859662
ITEM NO. 5967 - 34MM EXTRA HIGH UPC 000381859679

H-Series Rings


The new H-Series Rings have a sleek design and rugged, lightweight construction. Perfect for your favorite hunting rifle.



ITEM NO. 5957 - 30MM LOW UPC 000381859570
ITEM NO. 5958 - 30MM MEDIUM UPC 000381859587
ITEM NO. 5959 - 30MM HIGH UPC 000381859594

SPECIFICATIONS

	T-Series Rings								H-Series Rings		
	5960	5961	5962	5963	5964	5965	5966	5967	5957	5958	5959
SIZE	30 mm	30 mm	30 mm	30 mm	34 mm	34 mm	34 mm	34 mm	30 mm	30 mm	30 mm
HEIGHT	Low	Medium	High	Ex. High	Low	Medium	High	Ex. High	Low	Medium	High
ACTUAL HEIGHT	.885"	1.0"	1.25"	1.35"	.885"	1.0"	1.25"	1.35"	.85"	1.0"	1.35"
WEIGHT	4.1 oz.	4.3 oz.	5.1 oz.	5.4 oz.	3.8 oz.	4.2 oz.	4.9 oz.	5.2 oz.	2.3 oz.	2.6 oz.	3.3 oz.
MSRP	\$229.99	\$229.99	\$229.99	\$229.99	\$229.99	\$229.99	\$229.99	\$229.99	\$91.99	\$91.99	\$91.99





RETICLE SPECIFICATIONS




Steiner offers a variety of reticle designs for both hunting and precision shooting. This guide explains the reticles that we offer, how to best use them for more precise aiming, and how to adjust for holdover at long distances and hold-off for wind.


RETICLE SPECIFICATIONS

Steiner is one of the largest manufacturers of high-quality optics in the world. Steiner riflescopes are German engineered and made for hunters and precision shooters who demand the best. These scopes are optically and mechanically superior to scopes that cost thousands more.


NEW E3 RETICLE



NEW G1 RETICLE




3TR/P3TR RETICLE SUBTENSION



UNIT	mRad	cm/100m	in/100 yd
A	0.15	1.5	0.54
B	0.21	2.1	0.76
C	5.000	50	18.00
D	0.21	2.1	0.76
G	1.00	10	3.60

E .5 m @ Indicated Distance
F 5 cm @ Indicated Distance
*200-Yard Zero
*5.56mm NATO 62 gr SS109 @ 3,100 fps
*7.62mm NATO 175 gr M118LR @ 2,580 fps


RAPID DOT 5.56, 7.62 RETICLE SUBTENSION



UNIT	mRad	cm/100m	in/100 yd
A	10	100	36
B	0.32	3.2	1.15
C	1.0	10	3.6
D	0.13	1.3	0.47

E .5 m @ Indicated Distance
*100-Yard Zero
*5.56mm NATO 62 gr SS109 @ 3,100 fps
*7.62mm NATO 150 gr FMJ @ 2,750 fps



HORUS TREMOR 3 RETICLE



FOR MORE ABOUT THE STEINER
RETICLES DOWNLOAD THE
STEINER RETICLE GUIDE


www.steiner-optics.com/download-catalog

DMR8i RETICLE




UNIT	A	B	C	D	E	F	G	H	I	J
mrad	0.10	1.00	0.50	0.10	0.08	2.00	10.00	14.00	21.00	14.00
MOA	0.34	3.44	1.72	0.34	0.28	6.87	34.80	51.57	72.20	48.13

C2 RETICLE SUBTENSION



UNIT	MOA
A	18
B	2
C	4
D	27.63
E	13.64



SCR RETICLE SUBTENSION



UNIT	5x-25x Mils	MOA
A	1.00	3.44
B	0.50	1.72
C	0.035	0.12
D	0.10	0.34
E	0.25	0.86
F	0.10	0.34
G	0.08	0.28
H	2.00	6.88
I	0.20	0.69
J	0.40	1.38
K	0.60	2.06
L	0.80	2.75
M	0.02	0.07
N	0.03	0.10
O	0.125	0.43

UNIT	3x-15x Mils	MOA
A	1.00	3.44
B	0.50	1.72
C	0.05	0.17
D	0.10	0.34
E	0.25	0.86
F	0.13	0.43
G	0.08	0.28
H	2.00	6.88
I	0.20	0.69
J	0.40	1.38
K	0.60	2.06
L	0.80	2.75
M	0.04	0.14
N	0.04	0.14
O	0.125	0.43

SCR MOA RETICLE SUBTENSION




RETICLE SUBTENSIONS (in MOA)

Model	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
3-15x	2	1	.17	.5	1	.5	1	-	1	1.5	2	3	.1	.15	.5

RETICLE SUBTENSIONS (IN MOA)

Model	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
5-25x	2	1	.12	.5	1	.25	.5	.7	1	1.5	2	3	.07	.11	.35

MSR 2 RETICLE SUBTENSION



UNIT	Mils
A	0.1
B	0.2
C	0.40
D	0.5
E	1.0



STEINER 
Nothing Escapes You

STEINER BINOCULARS



BINOCULAR FEATURES | 48
PREDATOR SERIES | 50
PREDATOR AF SERIES | 52
HX SERIES | 54
MILITARY MARINE SERIES | 56
T-SERIES | 58
M-SERIES | 62

M-SERIES LRF | 64
NAVIGATOR SERIES | 66
COMMANDER SERIES | 68
**SAFARI ULTRASHARP
SERIES | 70**
BLUHORIZON SERIES | 72

Binocular Technology

The more light through the lenses, the sharper the image, which is critically important in low-light military situations. Steiner's advanced optics dramatically enhance light transmission, for exceptional clarity in the most challenging conditions. 100% in-house optical capability ensures absolutely consistent, premium lenses and prisms, with world-leading coatings for bright, high-contrast images.



FEATURES:

PROPRIETARY LENS COATINGS



The combination of premium Steiner glass and proprietary lens coatings results in a viewing experience that is second-to-none. All lenses are multicoated, with a variety of specific coatings like the Diamond Night Marine® and Nano-Protection lens coatings that enhance light transmission and provide ultimate protection against dirt, dust and all of Mother Nature's element.

KNOW THE DIFFERENCE

PORRO PRISM DESIGN

Porro prism binoculars are extremely tough and dependable, creating sharp, clear images and 3D viewing even at long distances.

Always in Focus - with Sports-Auto-Focus™ everything stays in focus from 20-yards to infinity. Makes for easy onehanded operation and effortless low light viewing.



ROOF PRISM DESIGN

Roof prism binoculars are extremely light weight, compact and streamlined, making them easy to pack, carry, hold and use.



SUPERIOR RUBBER ARMORING



More commonly referred to as Buna-N or Nitrile rubber, NBR (Nitrile butadiene rubber) is a superior rubber armoring. Unlike many other rubbers, it has the ability to withstand oil, fuel, and

other chemicals. Another important advantage is that NBR rubber has an excellent resistance to heat aging and thus does not harden or lose its protective capabilities like natural rubber does. NBR characteristics do make an excellent choice as it should withstand dirty and greasy hands as well as being left out in the sun or in a hot car.

FOGPROOF & WATERPROOF

For absolute fogproof and waterproof protection, Steiner seals 14-psi pressurized dry nitrogen into its optics, ensuring premium clarity in any condition. Steiner's proprietary N2 Injection System® pressurizes optics with nitrogen and trace helium. If the seals are not completely tight, hyperbaric testing reveals escaping helium molecules, the optics are disassembled and the process is repeated.



WITHSTANDS 40 G'S OF IMPACT

Steiner's Makrolon® Housing combines an unbreakable polycarbonate frame with a NBR Long Life rubber armoring for a light weight and rugged chassis that can withstand 40 G's of impact. NBR Long Life rubber armoring is durable, slip-proof and noiseless to ensure a secure grip in all conditions.




RETICLES

Steiner offers an integrated compass in several of their marine, tactical and military binoculars. This instrument is a great tool to determine a given direction and to determine distance to an object or target.


In tactical and military binoculars, there is a choice of either the Steiner Universal MIL Reticle (SUMR), Commander or Military R reticle. The SUMR reticle allows for measurement and ranging estimates with larger 5 and 10 mil graduations towards the outside of the reticle, with single mil and sub-mil graduations close to the center of the reticle, down to 0.20 mil. On the Military R and Commander reticles, the horizontal and vertical scales are graduated in 10-mil increment unit markings.

The Marine Series, the Commander and Commander Global binoculars are also graduated in 10-mil increments and for navigation they also have a directional compass that show the indicated bearing to your target or destination.



SUMR Reticle

- T856r
- M1050r
- M830r LRF
- M830r LRF 1535nm
- M1050r LRF



Military Series

- M750r
- M830r



Commander

- 7x50c
- M750rc
- M1580rc

PREDATOR SERIES

NEW



MILITARY
GRADE OPTICS
SERIOUS
HUNTERS CAN
AFFORD

OUR DIAMOND COATING™

REVOLUTIONIZES HIGH

DEFINITION OPTICS -

A SECRET STEINER

TECHNOLOGY THAT

GENERATES SUPERIOR

LIGHT TRANSMISSION

AND HIGH CONTRAST

IMAGING. ALL THIS

IN A COMPACT,

LIGHTWEIGHT DESIGN

THAT PROVIDES THE

MILITARY RUGGEDNESS

AND DURABILITY YOU

EXPECT FROM STEINER.

PREDATOR SERIES OVERALL FEATURES

- HIGH DEFINITION OPTICS
- PREDATOR DIAMOND COATING
- LIGHTWEIGHT DESIGN
- WATERPROOF & FOGPROOF

PREDATOR 10X42 LRF

Decades of range-finding binocular experience packed into an innovative hunting bino.

- **Innovative design and ergonomics:** Predator LRF design has no visible electronics; no bumps, no external battery compartment.
- **Best in class display brightness**
- **Integrated inclinometer**
- **Different modes:** standard, short distance, long distance and rain mode
- **Optics clarity, the high light transmission, and the ruggedness** you expect from any Steiner product

ITEM NO. 2057 UPC 840229105649



PREDATOR 10X42

The higher 10x magnification reveals greater detail at long-distance, making it ideal for hunting open-country and field edges.

ITEM NO. 2059 UPC 840229105663



PREDATOR 8X42

The 8x magnification offers a huge field of view and a bright, high definition image. These are ideal for finding and follow game through dense timber, especially in low light situations.

ITEM NO. 2058 UPC 840229105656





Predator Diamond Coating

High Definition optics meet Predator Diamond Coating – the secret Steiner technology generates superior light transmission, high contrast and high definition imaging.



Fast-Close-Focus™

Central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.



Laser Texture

Laser texture provide a good grip for these compact and lightweight models making them ideal for hunting or any outdoor excursion.

SPECIFICATIONS

PREDATOR SERIES

	10x42	8x42	10x42 LRF
ITEM NUMBER	2059	2058	2057
OBJECTIVE DIAMETER	42mm	42mm	42mm
MAGNIFICATION	10x	8x	10x
FIELD OF VIEW AT 1,000 YD.	324ft	375ft	344 ft
FOCUSING SYSTEM	Fast-Close-Focus	Fast-Close-Focus	Fast-Close-Focus
OPTICS SYSTEM	Predator Diamond Coating	Predator Diamond Coating	Predator Diamond Coating
CLOSE FOCUS	6.6ft	6.6ft	16.4ft
EXIT PUPIL	4.2mm	5.25mm	4.2mm
LUMINOSITY	17.64	27.65	17.64
TWILIGHT FACTOR	20.49	18.33	20.49
EYECUPS	Ergonomic Rotary Eyecups	Ergonomic Rotary Eyecups	Ergonomic Rotary Eyecups
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes	Yes
WEIGHT (OZ.)	26.3	26.6	35.8
DIMENSIONS (IN.) (HxWxD)	6.9x4.73x2.5	6.9x4.73x2.5	8.27x5.5x2.2
WAVELENGTH	-	-	905nm
SCAN MODE	-	-	Yes
POWER SUPPLY	-	-	CR2
SPECIAL FEATURES	High Contrast Lenses	High Contrast Lenses	LRF measuring range; 5.5 yards - 1969 yards
NECK STRAP ATTACHMENT	Universal	Universal	Universal
CARRY CASE	Yes	Yes	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$689.99	\$629.99	\$1,954.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.

HERITAGE



WARRANTY
GENERATION
TO GENERATION



The LRF Distinction

Predator LRF electronics components are completely integrated into the binocular housing providing an optimal grip without bumps or protrusions getting in the way. Always achieve the most accurate results through standard, rain, long-distance, or short-distance modes, and quickly learn a landscape through continuous scan mode. Range in either meters or yards for a bino suitable for use on any continent.

STEINER 
Nothing Escapes You

PREDATOR AF SERIES



**AUTO-FOCUS
WITH CAT™
LENS COATING
MAKES FINDING
GAME EASY**

ONE GLANCE GIVES
YOU DEAD-ACCURATE
PERCEPTION,
WHEREVER YOUR
PREY MAY HIDE.

PREDATOR AF 8X30

Compact, lightweight and Auto-Focus quick for predators on the move. Versatile 8x30 power combines sharp detail and good field of view, while advanced CAT™ lenses pop game from background. Nothing unseen, nothing escapes you. Our CAT™ lens coating helps your vision pierce shaded areas and dense cover revealing game other hunters can't see. With our CAT coating nothing goes unseen, nothing escapes you!



ITEM NO. 2045 UPC 840229103522

PREDATOR AF SERIES OVERALL FEATURES

- NEXT-GEN TECH FOR THE ULTIMATE HUNTING BINOCULAR
- INSTANT FOCUS AT ANY DISTANCE
- CAT™ GAME-SENSING LENSES
- ENHANCED 3D DEPTH AND DETAIL
- OPTIMIZED LIGHT TRANSMISSION
- LEANER, LIGHTER WHEEL-FREE BRIDGE
- WATERPROOF, FOGPROOF, SHOCKPROOF
- RUGGED MAKROLON® HOUSING
- LASER-ETCHED TEXTURE FOR SECURE GRIP
- DEPENDABLE CLICLOC BINO STRAP SYSTEM "BIGGER, SMARTER"

PREDATOR AF 10X42

Closer, wider view for the most demanding hunts, with Auto-Focus to keep vision sharp from 20 yards to infinity. Bright picture and advanced CAT™ lenses pierce shadow and cover to reveal bigger, smarter game other hunters don't see. Our CAT™ lens coating helps your vision pierce shaded areas and dense cover revealing game other hunters can't see. With our CAT coating nothing goes unseen, nothing escapes you!



ITEM NO. 2046 UPC 840229103539



CAT™ Lens Coatings

Our CAT™ lens coating helps your vision pierce shaded areas and dense cover revealing game other hunters can't see. With our CAT coating nothing goes unseen, nothing escapes you!



Easy Auto-Focus

Adjust each eyepiece to your vision once, for sharp, clear images from 20 yards to infinity. No twisting a wheel, no chasing focus on the move, no lost chances.



Wheel-Free Open Bridge

Design reduces bulk and weight for easy carry and handling, a secure grip wet or dry, and more comfortable scouting wherever you hunt.

SPECIFICATIONS

PREDATOR AF SERIES

	8x30	10x42
ITEM NUMBER	2045	2046
OBJECTIVE DIAMETER (MM)	30	42
MAGNIFICATION	8x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	302	381
FOCUSING SYSTEM	Auto-Focus™	Auto-Focus™
OPTICS SYSTEM	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings
CLOSE FOCUS RANGE (FT.)	10	6
EXIT PUPIL (MM)	15	16.8
LUMINOSITY	14.06	17.64
TWILIGHT FACTOR	15.49	20.49
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Rainproof IPX4	Rainproof IPX4
WEIGHT (OZ.)	19	30.3
TEMPERATURE RANGE	-20°C to +70°C	-20°C to +70°C
DIMENSIONS (IN.) (HxWxD)	4.7 x 6.5 x 2.1	5.9 x 7.5 x 2.6
NECK STRAP	Comfort Plus	Comfort Plus
NECK STRAP ATTACHMENT	Fixed	Fixed
OBJECTIVE COVER	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes
CARRY CASE	Yes	Yes
BATTERY	-	-
SPECIAL FEATURES	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$399.99	\$539.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



HX SERIES



**AWARD WINNING
CLARITY AND
STEINER
QUALITY**

PICK YOUR CHALLENGE,
AND THERE'S AN HX
TO MASTER IT. FROM
DARK WOODS TO SUNLIT
RIDGES, LOWLAND BOGS
TO THE HIGH PLAINS. NEW
OPTICAL APPROACHES
AND FRAME DESIGNS
PROMISE BRIGHTER,
CLEARER IMAGES,
EXTENDED FIELD OF VIEW,
EASIER HANDLING, AND
ALL-WEATHER TOUGHNESS
BRINGS MORE SUCCESS
TO EVERY HUNT.

HX SERIES OVERALL FEATURES

- BRIGHT, CRISP IMAGES
- WIDE FIELD OF VIEW
- FAST-CLOSE FOCUS™
- STEINER NANO PROTECTION®
- FOGPROOF & WATERPROOF
DOWN TO 16 FEET

15X56 HX 15X56

Steiner's most powerful hunting binocular. Massive 15x magnification and larger objectives provide exceptional long-range clarity to spot and judge trophy animals on distant ridges. Tripod mountable to make remote views rock-steady; tripod adapters available.

ITEM NO. 2018 UPC 840229101146



10X42 HX 10X42

HD optics, enhanced lens coatings and 10x magnification deliver bright images for dim light conditions and high detail at longer ranges. Ideal for wide open country and hilly regions.

ITEM NO. 2015 UPC 840229101719





New Frame Design

The HX binoculars is easier to grip, more comfortable for extending scouting.



Nano-Protection®

Hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust are repelled.



Ergonomic Eyecups

Comfortable and protect your eyes against side light and drafts.



Fast-Close-Focus™

Central focusing wheel requires minimal rotation for quick, absolute sharpness from up close to infinity.

SPECIFICATIONS

HX SERIES

	10x42	15x56
ITEM NUMBER	2015	2018
OBJECTIVE DIAMETER (MM)	42	56
MAGNIFICATION	10x	15x
FIELD OF VIEW AT 1,000 YD. (FT.)	326	241
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Definition	High Definition
CLOSE FOCUS (FT.)	6	8
EXIT PUPIL (MM)	4.2	3.7
LUMINOSITY	17.6	13.9
TWILIGHT FACTOR	20.5	28.9
COMPASS	-	-
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 10 ft.	Submersion to 10 ft.
WEIGHT (OZ.)	28	44.1
DIMENSIONS (IN.) (HxWxD)	5.8 x 4.9 x 2.6	7.1 x 5.6 x 3.1
NECK STRAP	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes
CARRY CASE	Yes	Yes
BATTERY	-	-
SPECIAL FEATURES	Steiner Nano Protection®	Steiner Nano Protection®
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$1,033.99	\$1,287.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



MILITARY/ MARINE SERIES



**PROVEN ON THE
BATTLEFIELD.
PERFECT FOR
EVERYTHING ELSE.**

THE CIVILIAN
VERSION OF OUR
PROVEN MILITARY
BINOCULARS,
ADAPTED FOR RUGGED
ALL-AROUND USE. AS
SHARP, CLEAR AND
BATTLE-WORTHY AS
THE WARRIOR MODELS
THEY'RE BASED ON.



MM1050 10X50

The choice of many State and Federal agencies for field use, the large 50mm objective lenses and powerful 10x magnification makes this a good choice for big game hunters as well.

ITEM NO. 2035 UPC 840229103119



MM750 7X50

Based on the same design as the M22 binoculars chosen by the U.S. Army, the rugged and dependable 7x50 binoculars will stand up a lifetime of civilian use and abuse.

ITEM NO. 2038 UPC 840229103140

MILITARY/MARINE SERIES OVERALL FEATURES

- FLOATING PRISM SYSTEM
- COMPACT DESIGN
- SPORTS-AUTO-FOCUS™ SYSTEM
- MAKROLON® HOUSING



MM830 8X30

Light and easy to handle, with for bright images and a wide field of view for steady viewing, even on the move.

ITEM NO. 2033 UPC 840229103102



Makrolon® Housing

Durable polycarbonate, creates a lightweight, rugged chassis that withstands 11 Gs of impact.



Sports-Auto-Focus™ System

Focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity - no more chasing focus on moving targets.



NBR Long Life Rubber Armoring

Durable, shock absorbing rubber that's neither tacky nor spongy. Provides a non-slip grip making it less likely to drop in all weather conditions.

SPECIFICATIONS

MILITARY / MARINE SERIES

	MM1050 10x50	MM750 7x50	MM830 8x30
ITEM NUMBER	2035	2038	2033
OBJECTIVE DIAMETER (MM)	50	50	30
MAGNIFICATION	10x	7x	8x
FIELD OF VIEW AT 1,000 YD. (FT.)	302	387	362
FOCUSING SYSTEM	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast
CLOSE FOCUS (FT.)	66	65	66
EXIT PUPIL (MM)	5	7.1	3.8
LUMINOSITY	25	51.0	14.1
TWILIGHT FACTOR	22.4	18.7	15.5
COMPASS	-	-	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes	Yes
WEIGHT (OZ.)	35.3	36	17.1
DIMENSIONS (IN.) (HxWxD)	5 x 8.1 x 3	6 x 8 x 2.75	4.2 x 6.7 x 2.2
NECK STRAP	Comfort	Standard	Comfort
NECK STRAP ATTACHMENT	Standard	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
CARRY CASE	Yes	Yes	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$586.99	\$407.99	\$315.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.

HERITAGE



WARRANTY
GENERATION
TO GENERATION

STEINER 
Nothing Escapes You



T-SERIES

NEW



YOU CAN
RUN
BUT YOU
CAN'T HIDE

OWN THE NIGHT WITH
THE BEST TACTICAL
BINOCULARS ON THE
MARKET. STEINER'S
DIAMOND NIGHT™ LENS
COATING LET YOU
PIERCE THE SHADOWS
FOR UNMATCHED
DETAIL TO TELL THE
GOOD GUYS FROM
THE BAD.

8X56r

The next evolutionary step in lowlight binoculars. This technology, combined with Steiner's Sports-Auto Focus™ produces the ultimate optic for low-light observation. Light transmission of 96%+

ITEM NO. 2053 UPC 840229104697



7X50


10x power and bright image perfect for sniper/spotters, border surveillance, patrol car optics, and tactical ops day and night.

ITEM NO. 2052 UPC 840229104680



T-SERIES OVERALL FEATURES

- SPORTS-AUTO-FOCUS
- MILITARY RUGGEDNESS,
PRECISION AND
PERFORMANCE
- HIGH-DEFINITION OPTICS



SUMR Reticle

The Steiner Universal Milling Reticle offers fine graduations for accurately measuring target size or distance.



Best in the Industry Light Transmission (96%+)

Industry's highest light transmission, night surveillance takes on a new dimension.



Sports-Auto-Focus

Set each eyepiece to your vision and everything from 20 yards to infinity is razor sharp—day or night.

SPECIFICATIONS

T SERIES

	T856r 8x56	T750 7x50
ITEM NUMBER	2053	2052
OBJECTIVE DIAMETER (MM)	56	50
MAGNIFICATION	8x	7x
FIELD OF VIEW AT 1,000 YD. (FT.)	441	356
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™
CLOSE FOCUS (FT.)	66	66
EXIT PUPIL (MM)	7.0	7.1
LUMINOSITY	49	51
TWILIGHT FACTOR	21.2	18.7
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	38.9	20.5
DIMENSIONS (IN.) (WxH)	8.27 x 8.3	8.15 x 5.5
NECK STRAP	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Included	Included
N ₂ INJECTION SYSTEM	14-pso pressurized Nitrogen-filled	14-pso pressurized Nitrogen-filled
RAIN PROTECTION CAP	Included	Included
CARRY CASE	Yes	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$1,517.99	\$525.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



STEINER
Nothing Escapes You

T-SERIES



THE ULTIMATE
IN COMPACT
TACTICAL
OBSERVATION

UNFAILINGLY RELIABLE
TACTICAL BINOCULARS
FIELD-PROVEN TO
DELIVER BRIGHT,
ACCURATE IMAGES IN
ANY SITUATION. WHEN
LIVES ARE ON THE
LINE, THESE ARE ON
THE SCENE.

10X42 T1042
10X42

10x power and bright image perfect for sniper/spotters, border surveillance, patrol car optics, and tactical ops day and night.

ITEM NO. 2005 UPC 000381865069



10X28 T1028
10X28

10x magnification for more power and performance without sacrificing weight or adding bulk to your field gear.

ITEM NO. 2004 UPC 000381865045



**T-SERIES
OVERALL FEATURES**

- COMPACT, LIGHTWEIGHT & STREAMLINED
- HIGH-DEFINITION OPTICS
- FOGPROOF & WATERPROOF DOWN TO 16 FT.
- SHOCKPROOF
- CLICLOC® SYSTEM



Military Grade Rubber Armoring

Protects chassis and lenses, reduces noise and provides a sure grip in all conditions.



Fast-Close-Focus™

Requires less rotation for quick, clear images from close-up to infinity.



Steiner Durability

Steiner's battle proven durability means you can take these anywhere and they will perform - in any condition, at any temperature, every time.

SPECIFICATIONS

T SERIES

	T1028 10x28	T1042 10x42
ITEM NUMBER	2004	2005
OBJECTIVE DIAMETER (MM)	28	42
MAGNIFICATION	10x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	266	317
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Definition Tactical Optic	High Definition Tactical Optic
CLOSE FOCUS (FT.)	6	6
EXIT PUPIL (MM)	2.8	4.2
LUMINOSITY	7.1	17.6
TWILIGHT FACTOR	17.1	20.5
COMPASS	-	-
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 6 ft.	Submersion to 6 ft.
WEIGHT (OZ.)	12.7	26.4
DIMENSIONS (IN.) (HxWxD)	5.1 x 4.6 x 1.9	6.6 x 4.9 x 2.5
NECK STRAP	Neoprene	Neoprene
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes
CARRY CASE	Gear Bag	Gear Bag
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$407.99	\$619.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



STEINER
Nothing Escapes You



M-SERIES



**ELITE UNITS
WORLDWIDE
RELY ON THEM.
SO CAN YOU.**

BUILT WITH MILITARY-
GRADE PRECISION
AND OPTICAL
QUALITY. PROVEN
IN EVERY THEATER,
THESE ARE THE
BINOCULARS YOU
WANT WITH YOU WHEN
VISUAL SUPERIORITY
IS MISSION-CRITICAL.

M-SERIES OVERALL FEATURES

- MIL-SPEC
- FLOATING PRISM SYSTEM
- MULTI-COATED LENSES
- MAKROLON® HOUSING
- SPORTS-AUTO-FOCUS™ SYSTEM
- RANGING RETICLE
- CYLINDRICAL EYECUPS
- FOGPROOF & WATERPROOF DOWN TO 16 FT.
- SHOCKPROOF
- LE, MILITARY & GOVERNMENT SALES ONLY

STEINER 
Nothing Escapes You

M1050r/LPF 10x50r



Ideal for open terrain and mountainous or hilly country. Equipped with a milliradian ranging reticle.

ITEM NO. 2663 (SUMR) UPC 840229102167
*ITEM NO. 2664 (SUMR) LPF GEN II UPC 840229102433
*ITEM NO. 2665 (SUMR) LPF GEN III UPC 840229102822

M750rc 7x50rc



Integrates bright image, illuminated HD stabilized compass, and milliradian ranging reticle, giving you the ability to accurately identify targets and determine bearings and distance to the single degree.

ITEM NO. 2690 UPC 840229102259

M750r 7x50r



Offers exceptionally bright images in all light conditions, especially useful for nighttime ops. Crisp resolution and a wide field of view help you locate and identify targets faster and more accurately.

ITEM NO. 2650 UPC 840229102105
*M750r LPF (GEN II) ITEM NO. 2651 UPC 840229102112
*M750r LPF (GEN III) ITEM NO. 2652 UPC 840229102129

M830r 8x30r



Light and easy to handle, with high-definition lenses for bright images and a wide field of view for steady viewing, even on moving vehicles. Includes a precision milliradian ranging reticle.

ITEM NO. 2640 UPC 840229102075

M1580 15x80

High magnification and large, precise lenses to observe objects several miles away with astounding detail, even in low light.



ITEM NO. 2670
UPC
840229102174

M1580rc 15x80c

Integrates a large, illuminated HD stabilized compass for accurate bearings, fluid damped to eliminate degree variance while moving in a vehicle or ship.




ITEM NO. 2693
UPC
840229102280

M2080 20x80

All the features of the 15x80 with even higher magnification for greater range without sacrificing the field of view. Excellent for border observation, airports and airspace monitoring.




ITEM NO. 2675
UPC
840229102198




Military Series Reticle

The Mil-Ranging Reticle is employed by military forces worldwide for analog target acquisition and ranging.



SUMR Reticle

The Steiner Universal Milling Reticle offers fine graduations for accurately measuring target size or distance.



Mil Ranging Reticle

The Mil Ranging Reticle incorporates a Mil reticle with a compass that shows direction and bearing.

SPECIFICATIONS

	M SERIES						
	M30r 8x30r	M750rc 7x50rc	M1050r 10x50r/LPF	M750r LPF 7x50r/LPF	M1580 15x80	M1580rc 15x80c	M2080 20x80
ITEM NUMBER	2640*	2690	2663 / 2664* / 2665*	2650*/2651* / 2652*	2670	2693	2675
OBJECTIVE DIAMETER (MM)	30	50	50	50	80	80	80
MAGNIFICATION	8x	7x	10x	7x	15x	15x	20x
FIELD OF VIEW AT 1,000 YD. (FT.)	392	392	318	392	195	301	195
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated
CLOSE FOCUS (FT.)	66	66	66	66	197	197	197
EXIT PUPIL (MM)	3.8	7.1	5	7.1	5.3	5.3	4
LUMINOSITY	14	51	25	51	28	28	16
TWILIGHT FACTOR	15.5	18.7	22.4	18.7	34.6	34.6	40
COMPASS	-	HD Stabilized	-	-	-	HD Stabilized	-
EYECUPS	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	18.7	39.7	35.3	36.9	68.1	69.3	68.1
DIMENSIONS (IN.) (HxWxD)	4.2 x 6.7 x 2.2	5.5 x 8.1 x 3.7	5 x 8.1 x 3	5.5 x 8.1 x 3	11.6 x 8.9 x 3.8	11.6 x 8.9 x 4.1	11.6 x 8.9 x 3.8
NECK STRAP	Yes	Yes	Yes	Yes	Yes	Yes	Yes
NECK STRAP ATTACHMENT	Standard	Standard	Standard	Standard	Standard	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes	Yes	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes	Yes	Yes	Yes	Yes
BATTERY	-	1.5 V 350	-	-	-	1.5 V 350	-
SPECIAL FEATURES	Mil Ranging Reticle, Military Specifications	HD Stabilized Compass, Mil Ranging Reticle, Military Specifications	SUMR Milliradian Ranging Reticle, Military Specifications	Mil Ranging Reticle, Laser Protection Filter, Military Specifications	Tripod Mount, Military Specifications	Tripod mount, HD Stabilized Compass, Military Specifications	Tripod Mount, Military Specifications
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$1,113.99	\$1,522.99	\$1,404.99 / \$1,874.99 \$2,696.99	\$1,287.99 / \$1,759.99 \$2,579.99	\$1,931.99	\$2,459.99	\$2,049.99

*LE, Military, & Government sales only

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed. • No receipt required. • Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



M-SERIES LRF



**CLARITY AND LONG
DISTANCE RANGE
FINDING FOR THE EDGE
IN ANY ENCOUNTER.**

THE COMBINATION
OF STATE-OF-THE-ART
OPTICS, LEGENDARY
STEINER RELIABILITY,
AND SPOT-ON LASER
RANGING CAN MAKE A
CRITICAL DIFFERENCE
IN SITUATIONS WHERE
ACCURACY MEANS
EVERYTHING.



M830r LRF 1535NM 8X30r LRF

The M830r LRF 1535nm ranges farther - from 25 to 6,000 meters - using a wavelength invisible to your adversary's night vision devices.

ITEM NO. 2681 UPC 840229102228



Bluetooth Adaptor

Provides Bluetooth capability with compatible devices such as the Kestrel 5700 Elite weather meter with LINK. The adaptor transmits range data to the device to generate an accurate firing solution for the indicated distance.

ITEM NO. 2627 UPC 840229102839

M-SERIES LRF OVERALL FEATURES

- MIL-SPEC
- FLOATING PRISM SYSTEM
- ERGONOMIC DESIGN FOR COMFORTABLE OBSERVATION
- BUILT-IN LASER RANGEFINDER
- MAKROLON® HOUSING
- SPORTS-AUTO-FOCUS™ SYSTEM
- FOGPROOF & WATERPROOF DOWN TO 16 FT.
- SHOCKPROOF



NEW

M1050r LRF 10X50 LRF

Universally suited for military services and tactical units, the M1050r LRF has all the advantages of the M1050 LRF, and also includes the SUMR Ranging Reticle.

ITEM NO. 2683 UPC 840229102242



M830r LRF 8X30r LRF

Perfect for mobile troops who travel light. Lenses and prisms are combined with state-of-the-art coatings to provide bright, crisp images at any range. Ranges can be set to meters or yards.

ITEM NO. 2680 UPC 840229102211




Bluetooth Adaptor

The M830r LRF 1535NM pair with compatible devices such as the Kestrel 5700 elite weather meter with LiNK.



Laser Rangefinding

Precise ranging out to 1,860 yd. (or 6,000 m. with the 1535NM model). Scan Mode available for moving targets.



SUMR Reticle

The Steiner Universal Milling Reticle offers fine graduations for accurately measuring target size or distance.

SPECIFICATIONS

	M830r LRF 1535nm	M1050r LRF	M830r LRF
ITEM NUMBER	2681	2683	2680
OBJECTIVE DIAMETER (MM)	30	50	30
MAGNIFICATION	8x	10x	8x
FIELD OF VIEW AT 1,000 YD. (FT.)	438	348	319
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	Fully Multi-Coated	Fully Multi-Coated	Fully Multi-Coated
CLOSE FOCUS (FT.)	66	66	66
EXIT PUPIL (MM)	3.8	5	3.8
LUMINOSITY	14	25	14
TWILIGHT FACTOR	15.5	22.4	15.5
EYECUPS	Cylindrical	Cylindrical	Cylindrical
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 16 ft.	Submersion to 16 ft.	Submersion to 16 ft.
WEIGHT (OZ.)	33	44.8	26.5
DIMENSIONS (IN.) (HxWxD)	4.5 x 6.7 x 2.8	5.4 x 8.1 x 3.9	4.5 x 6.7 x 2.8
NECK STRAP	Yes	Yes	Yes
NECK STRAP ATTACHMENT	Standard	Standard	Standard
OBJECTIVE COVER	Yes	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes	Yes
BATTERY	CR2	CR123A	CR2
SPECIAL FEATURES	Tripod Mountable, SUMR Reticle, Military Specifications, Laser Rangefinder Measuring Range: 27 to 6,000 yd.	Tripod Mountable, Military Specifications, Laser Rangefinder Measuring Range: 27 to 1,860 yd. SUMR reticle	Tripod Mountable, SUMR Reticle, Military Specifications, Laser Rangefinder Measuring Range: 27 to 1,860 yd.
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$11,729.99	\$ 4,159.99	\$3,161.99

Bluetooth Adaptor

ITEM NUMBER	2627
HEIGHT	34.5 mm
WIDTH	26.7 mm
DEPTH	17.2 mm
WEIGHT	10 g
OPERATING TEMPERATURE	-20° / +50°C
STORAGE TEMPERATURE	-40° / +80°C
WATER-PRESSURE-PROOFNESS	5 m
BLUETOOTH VERSION	4.1
INTERFACE	ODU mini-snap plug
RANGE	5 m
WARRANTY	Heritage™ Warranty
MSRP PRICE	\$586.99

STEINER 
Nothing Escapes You

HERITAGE



The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steiner-optics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



NAVIGATOR SERIES

NEW



**BUILT
FOR LIFE
ON THE
WATER**

THE NAVIGATOR
BINOCULARS TAKE
STEINER'S POPULAR
MARINE SERIES TO THE
NEXT GENERATION WITH
INNOVATIVE PRODUCT
FEATURES. NEW
OPEN-BRIDGE DESIGN
ENHANCES HANDLING,
ALONG WITH A TEXTURE
BODY FOR A SURE GRIP
IN ANY WEATHER.

NAVIGATOR 7X50

The Navigator with 50mm lens diameter and 7x magnification offers a stable image even in rough seas as well as guarantees bright images with excellent contrast and sharpness of detail in the dark.

ITEM NO. 2342 UPC 840229105045



NAVIGATOR PRO 7X50c

In addition to the excellent image quality, this Navigator features an integrated, large analog fluid dampened compass that can be illuminated and makes it easy to maintain your heading.

ITEM NO. 2343 UPC 840229105052



NAVIGATOR 7X30

With a compact design and lens diameter of 30mm, this Navigator's light weight makes it the perfect companion for spontaneous adventures at sea. These characteristics also promise an incredible experience on land.

ITEM NO. 2340 UPC 840229105021



NAVIGATOR SERIES OVERALL FEATURES

- OPEN BRIDGE DESIGN
- SPORTS-AUTO-FOCUS™ SYSTEM
- 7X MAGNIFICATION
- SPORTS-AUTO-FOCUS™ SYSTEM
- PROTECTIVE ARMOURING

NAVIGATOR PRO 7X30c

This easy-to-use and multifunctional Navigator offers all these features, plus an integrated HD-stabilized compass. This system provides more safety at sea through reliable course navigation.

ITEM NO. 2341 UPC 840229105038





HD Stabilized Compass

Integrated fluid dampened, illuminated compass is an accurate and invaluable viewing and navigation tool. Available on the 7x50c and 7x30c.



Protective Armouring

Enveloped by a protective armouring made of modified rubber (NBR/PVC) with laser texture for a good grip.



Sports-Auto-Focus™

Focus each eyepiece to your vision once, then keep images razor sharp from 20 yards to infinity. No more chasing focus on moving objects.

SPECIFICATIONS

	NAVIGATOR SERIES			
	7x50	7x50C	7x30	7x30C
ITEM NUMBER	2342	2343	2340	2341
OBJECTIVE DIAMETER	50mm	50mm	30mm	30mm
MAGNIFICATION	7x	7x	7x	7x
FIELD OF VIEW AT 1,000 YD.	419ft	419ft	419ft	419ft
FOCUSING SYSTEM	Auto-Focus	Auto-Focus	Auto-Focus	Auto-Focus
OPTICS SYSTEM	High Contrast	High Contrast	High Contrast	High Contrast
CLOSE FOCUS	66ft	66ft	66ft	66ft
EXIT PUPIL (MM)	7.14mm	7.14mm	4.29mm	4.29mm
LUMINOSITY	51.02	51.02	18.37	18.37
TWILIGHT FACTOR	18.71	18.71	14.49	14.49
EYECUPS	Cylindric	Cylindric	Cylindric	Cylindric
RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
WATERPROOF	5 meters	5 meters	5 meters	5 meters
WEIGHT	26.6oz	39oz	17.6oz	18.7oz
DIMENSIONS (HxWxD)	4.2x8.2x2.75in	5.5x 8.2x87in	4.2x6.5x2in	4.2x6.5x2.5in
NECK STRAP	Float Strap	Float Strap	Float Strap	Float Strap
NECK STRAP ATTACHMENT	Universal Attachment System	Universal Attachment System	Universal Attachment System	Universal Attachment System
CARRY CASE	Yes	Yes	Yes	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$689.99	\$804.99	\$499.99	\$620.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



NAVIGATOR FLOAT STRAP

Designed for the new Navigator Series of marine binoculars, these floats straps are padded in a highly visible yellow, long-lasting, waterproof floating jacket. It is also emblazoned with the Steiner logo.

COMMANDER SERIES



THE WORLDWIDE
FLAGSHIP
OF MARINE
BINOCULARS.

THE CHOICE FOR
ANYONE WHO LIVES
ABOARD OR MAKES
THEIR LIVING ON
THE WATER



COMMANDER 7X50c

This military-grade porro prism Commander binocular with HD Stabilized compass is the choice for serious navigation.

ITEM NO. 2305 UPC 840229101214

COMMANDER OVERALL FEATURES

- 7X MAGNIFICATION
- THE MARINE INDUSTRY
STANDARD
- OUTSTANDING COMPASS
TECHNOLOGY
- MAKROLON® HOUSING
- DIAMOND MARINE™ OR NANO-
PROTECTION® LENS COATINGS
- SPORTS-AUTO-FOCUS™
- MEMORY OCULAR SAVES
PERSONAL DIOPTR SETTINGS
- FOGPROOF & WATERPROOF
DOWN TO 33 FEET
- SHOCKPROOF



COMMANDER 7X50

Delivers top-of-the-line image clarity, sharp edge-to-edge definition and contrast, and high light transmission for navigating in low light or fog.

ITEM NO. 2304 UPC 840229101207

HD Stabilized Compass

The integrated fluid damped, HD Stabilized illuminated compass with ranging reticle creates one accurate and invaluable navigation tool. Available on the Commander 7x50c only.



Fogproof and Waterproof

The Commander Series are fogproof and waterproof down to 33 feet.

SPECIFICATIONS

	7x50c	7x50
	2305	2304
OBJECTIVE DIAMETER (MM)	50	50
MAGNIFICATION	7x	7x
FIELD OF VIEW AT 1,000 YD. (FT.)	438	438
FOCUSING SYSTEM	Sports-Auto-Focus™	Sports-Auto-Focus™
OPTICS SYSTEM	High Definition	High Definition
CLOSE FOCUS (FT.)	66	66
EXIT PUPIL (MM)	7.1	7.1
LUMINOSITY	51	51
TWILIGHT FACTOR	18.7	18.7
COMPASS	HD Stabilized	-
EYECUPS	Ergoflex	Ergoflex
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Submersion to 33 ft.	Submersion to 33 ft.
WEIGHT (OZ.)	42	38.4
DIMENSIONS (IN.) (HxWxD)	6.2 x 8.1 x 3.8	6.2 x 8.1 x 3
NECK STRAP	Floating strap	Floating strap
NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®
OBJECTIVE COVER	Yes	Yes
RAIN PROTECTION CAP	Yes	Yes
CARRY CASE	Yes	Yes
BATTERY	CR1/3N	-
SPECIAL FEATURES	Ranging Reticle, Steiner Nano Protection®	Steiner Nano Protection®
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$1,794.99	\$1,469.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.



We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



SAFARI ULTRASHARP SERIES



EXPERIENCE
MORE ON
ANY
ADVENTURE

WHETHER ON SAFARI, A GRAND ADVENTURE OR EXPLORING NATURE OUT YOUR BACK DOOR YOU WILL SEE AND EXPERIENCE MORE WITH SAFARI ULTRA SHARP BINOCULARS FROM STEINER OPTICS. POWERFUL MAGNIFICATION WITH A LARGE FIELD OF VIEW, YET COMPACT AND LIGHT ENOUGH TO DISAPPEAR INTO YOUR DAYPACK, PURSE, GLOVE BOX OR CARRY AROUND YOUR NECK WITHOUT NOTICE.

SAFARI ULTRASHARP SERIES OVERALL FEATURES

- FAST-CLOSE FOCUS™
- HIGH-CONTRAST OPTICS
- LARGE FIELD OF VIEW
- PROPRIETARY UV COATING
- LOW-LIGHT CAPABILITY

SAFARI ULTRA SHARP 10X42

10x magnification shows you more detail from farther away, perfect for sports events and wildlife observation.

ITEM NO. 2218 UPC 000381822185



SAFARI ULTRA SHARP 10X26

A compact sport optic that looks great, fits your pack, pocket or purse, and is your constant companion for quick use.

ITEM NO. 4477 UPC 840229102983





Steiner Durability

Steiner's battle proven durability means you can take these anywhere and they will perform - in any condition, at any temperature, every time.



Proprietary UV Glass Coating

The proprietary UV glass coatings create world-renowned image clarity, accurate color, and unmatched low-light capability.



Fast-Close-Focus™

Central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.

SPECIFICATIONS

SAFARI ULTRASHARP SERIES

	10x42	10x26
ITEM NUMBER	2218	4477
OBJECTIVE DIAMETER (MM)	42	26
MAGNIFICATION	10x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	317	302
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™
OPTICS SYSTEM	High Contrast	High Contrast
CLOSE FOCUS (FT.)	6.6	11
EXIT PUPIL (MM)	4.2	2.6
LUMINOSITY	17.6	6.8
TWILIGHT FACTOR	20.5	16.1
EYECUPS	Cylindrical Rotation Eyecup	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Yes	Yes
WEIGHT (OZ.)	25.4	10.5
DIMENSIONS (IN.) (HxWxD)	5x5.8x2.56	4.7 x 4.6 x 1.8
NECK STRAP	Comfort	Comfort
NECK STRAP ATTACHMENT	ClicLoc	Fixed
CARRY CASE	Yes	Yes
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$467.99	\$174.99

The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



STEINER 
Nothing Escapes You

BLUHORIZONS SERIES



**WORLD'S FIRST
SUNLIGHT
ADAPTIVE
BINOCULAR.**

ALL THE ACTION
WITHOUT A GLIMMER
OF GLARE.

EXCLUSIVE
AUTOBRIGHT™ OPTICS
OFFSET DAZZLING LIGHT
AUTOMATICALLY, FOR
THE BEST VIEW UNDER
THE SUN.

BLUHORIZONS OVERALL FEATURES

- UNIQUE AUTOBRIGHT™ ADAPTIVE LENS TECHNOLOGY CUTS THROUGH GLARE TO CAPTURE EVERY DETAIL
- PREMIUM OPTICS GIVE YOU A SHARP, CLEAR PICTURE EVERY TIME
- COMPACT, LIGHT WEIGHT AND TEXTURE-ARMORED TO GO ANYWHERE
- IDEAL FOR EVERY ACTIVE OUTDOOR LIFESTYLE, FROM SEASIDE TO SNOWFIELD

BLUHORIZONS 8X22

Tuck this 4-inch marvel into pack, pocket or purse on your way out, for glare-free viewing from 6.6 feet to infinity. Fast-Close Focus, rainproof and rugged, with versatile 8x magnification. It's the trimmest, lightest Sunlight Adaptive optic there is.

ITEM NO. 2043 UPC 840229103508



BLUHORIZONS 10X42

This mid-size binocular delivers bright, crisp images and with 10x power, it provides great long-range detail. Perfect for wide-open country, seascapes and snowy ranges.

ITEM NO. 2345 UPC 840229105076





Exclusive AutoBright™ Technology

Automatically optimizes lens light transmission in bright conditions. No shimmer or glare from water, sand, snow, or sky. No squinting, guessing, or eye strain, just a perfect image.



Great Feel and Fast Focus

Grippy textured armor, ergonomic body and Fast-Focus™ make clear viewing a pleasure. Wherever bright sun is an issue, you've got a clear solution.



Ergonomic eye cups

Soft silicone rubber cups surround your eyes, keeping side-light, wind, dust and glare from compromising a crisp, comfortable picture.

SPECIFICATIONS

BLUHORIZONS SERIES

	10x26	10x42
ITEM NUMBER	2044	2345
OBJECTIVE DIAMETER (MM)	26	42
MAGNIFICATION	10x	10x
FIELD OF VIEW AT 1,000 YD. (FT.)	321.5	300
FOCUSING SYSTEM	Fast-Close-Focus™	Fast-Close-Focus™
CLOSE FOCUS RANGE (FT.)	9.8	6
EXIT PUPIL (MM)	2.6	4.2
LUMINOSITY	12.4	17.64
TWILIGHT FACTOR	16.12	20.49
EYECUPS	Ergonomic	Ergonomic
RUBBER ARMORING	NBR Long Life	NBR Long Life
WATERPROOF	Rainproof IPX4	Rainproof IPX4
TEMPERATURE RANGE	-20°C to +70°C	-20°C to +70°C
WEIGHT (OZ.)	10.6	25
DIMENSIONS (IN.) (HxWxD)	4.5x4.6x1.8	6.7x5.0x2.6
NECK STRAP	Comfort	Comfort
NECK STRAP ATTACHMENT	Fixed	Fixed
OBJECTIVE COVER	No	No
RAIN PROTECTION CAP	No	No
CARRY CASE	Neoprene Outdoor	Nylon
WARRANTY	Heritage™ Warranty	Heritage™ Warranty
MSRP PRICE	\$259.99	\$549.99

Comes with the Steiner logo BluHorizon Bag.



The Steiner Heritage Warranty means we stand behind our products. Over half a century of building rugged and reliable product for armed forces around the world gives us this confidence.

We will repair or replace your product at no charge to you. It covers all riflescopes and binoculars sold in the US and Canada for the life of the product.

See full warranty details at www.steineroptics.com/product-warranties

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Electronic components are covered by a 3-year warranty.



STEINER EOPTICS



EOPTICS PRODUCT FEATURES | 76
TOR SERIES | 78
DUAL BEAM AIMING LASERS | 80
CLOSE QUARTER BATTLE SERIES | 84

eOptics Technology

Steiner eOptics products utilize innovative state-of-the-art technologies that make you more effective in the field and provide a higher level of performance, even in the harshest of environments. You can let your instincts and training take over and still be confident, accurate and highly effective.



FEATURES:



STATE-OF-THE-ART ENGINEERING DEPARTMENT

Steiner eOptics maintains a cutting-edge engineering department with a full complement of experienced mechanical, electrical and optical engineers. These professionals are supported by highly skilled electrical and mechanical technicians.

RAPID PROTOTYPING

Once the initial design process is finished, rapid 3-D printing stations are used to prototype and perfect the design. We have access to suppliers and resources to quickly take a design project from bare concept to a working, testable prototype.

ASSEMBLY

Once parts are received, the design team is able to assemble and test laser and illumination systems in a state-of-the-art eOptics lab.

QUALITY ASSURANCE

Steiner eOptics maintains an ISO 9001:2015 Quality Management System and has continuously maintained an ISO 9001 QMS certification since 2001. Quality plays a very important role at Steiner and starts with the design and development process. During the initial design review, our engineers evaluate their design concept to make sure that it will meet the necessary quality requirements.



A PROVEN TRACK RECORD

Steiner eOptics has a proven track record as a government contractor supplying military lasers and lights to the U.S. Department of Defense as well as to NATO customers. In addition to supplying products to our military customer, Steiner eOptics has also been selected to provide design and development services by the U.S. Government and other prime contractors.



KEY TEST AND ASSEMBLY CAPABILITIES

- A Class 100 clean room for the assembly of sensitive optics products
- Sensitive optical power meters and beam characterization cameras with the necessary filters and apertures for measuring all laser outputs from 500 nm to 1.5 microns at output powers from .01 mW to 500 mJ
- Laser safety room with controlled access and safety shielding to accommodate high-energy lasers to 500 mJ
- A full array of environmental test equipment



PRODUCTION PROCESS

The production process ensures that any defects in assembly are caught as early as possible. The majority of the assembly stages also have a matching test stage used to confirm that the prior production step was properly performed.

RIGOROUS TESTING PROCESSES

MECHANICAL SHOCK, TO SIMULATE THE WEAPONS ON WHICH THE DEVICES WILL BE MOUNTED



MECHANICAL VIBRATION, TO SIMULATE TRANSPORT ON MILITARY AND COMMERCIAL VEHICLES INCLUDING ROTARY-WING AND FIXED-WING AIRCRAFT



HIGH AND LOW TEMPERATURE OPERATION AND STORAGE TESTING, WHERE THE DEVICES ARE EXPOSED TO THE MAXIMUM EXPECTED OPERATING TEMPERATURES AND STORAGE TEMPERATURES

TEMPERATURE SHOCK, WHERE THE EQUIPMENT IS HEATED TO A HIGH TEMPERATURE AND TRANSITIONED INTO A VERY COLD TEMPERATURE WITHIN A FEW SECONDS



IMMERSION TESTING, BOTH SIMULATED AND TO ACTUAL DEPTHS AS FAR AS 66 METERS



ADDITIONAL ENVIRONMENTAL TESTING MAY INCLUDE EXPOSURE TO SALT FOG, SAND, OR DUST AND ELECTRO-MAGNETIC SHOCK TESTING



TOR SERIES



**BATTLE
HARDENED.
CIVILIAN
READY.**

COMBAT-WORTHY
LIGHTS AND LASERS,
MIL-GRADE ALUMINUM,
BUILT STEINER
STRONG. DESIGNED
TO EXPOSE, BLIND,
AND TARGET WITH
MAXIMUM IMPACT. UP
TO ANY CHALLENGE.
JUST LIKE YOU.

TOR SERIES OVERALL FEATURES

- ANODIZED ALUMINUM HOUSING
- ADJUSTABLE FOR WINDAGE/ ELEVATION
- UNIVERSAL RAIL MOUNT

TOR FUSION

Combines white light illumination with either a red or green aiming laser. Fits all pistols with a Picatinny or Weaver rail.

ITEM NO. 7001 | GREEN LASER UPC 000381870018
ITEM NO. 7005 | RED LASER UPC 000381870056



TOR MINI

Miniature rail-mounted laser available with either red, green or infrared lasers. Fits all pistols with a Picatinny or Weaver rail.

ITEM NO. 7003 | GREEN LASER UPC 000381870032
ITEM NO. 7006 | RED LASER UPC 000381870063





TOR Mini

Left and right fire buttons for ambidextrous use. Green and red lasers are cold weather capable.



TOR Fusion

When Auto-On is activated, an internal sensor turns on the light and/or laser when drawn from a holster and turns off when put back in holster or set on its side.

SPECIFICATIONS

TOR SERIES

	TOR Fusion	TOR Mini
ITEM NUMBER	7001/7005	7003/7006
MAX LASER POWER	5.0 mW	<5 mW
MAX CONTINUOUS ILLUMINATION POWER	350 lumen	-
LENGTH (IN.)	2.70	2.1
WIDTH (IN.)	1.34	1.3
HEIGHT (IN.)	1.39	1.2
BATTERY	CR123	1/3N
LASER CLASS	3R Laser	3R Laser
WARRANTY	2-Year Warranty	2-Year Warranty
MSRP PRICE	\$436.99	\$389.99

STEINER 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase.

The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties



STEINER
Nothing Escapes You

DUAL BEAM AIMING LASERS



**NO CHALLENGE
TOO TOUGH.
NO SITUATION
TOO DARK.**

UNMATCHED
VERSATILITY
AND SUPERIOR
OPERATIONAL
LONGEVITY ARE
PAIRED IN THE DBAL
FAMILY OF LASERS TO
PROVIDE MAXIMUM
FUNCTIONALITY
FOR MILITARY, LAW
ENFORCEMENT AND
SELF-DEFENSE USERS
WORLDWIDE.



DBAL SERIES DBAL-A³

CIVILIAN DUAL BEAM AIMING LASER - ADVANCED³
Features an adjustable IR illuminator for better illumination at longer ranges, dual activation switches and high/low power modes.

ITEM NO. 9008-BLACK UPC 000381890085
9009-DESERT SAND UPC 000381890092

Visible Laser

<5 mW green laser

IR Pointer

<.7 mW

IR Illuminator

<4 mW

• VISIBLE GREEN LASER • IR LASER & ILLUMINATOR COMBINED

RESTRICTED ITEM NO. 10010-BLACK

Visible Laser

<50 mW green laser

IR Pointer

<50 mW

IR Illuminator

<50 mW

RESTRICTED ITEM NO. 10011-BLACK

Visible Laser

<80 mW red laser

IR Pointer

<50 mW

IR Illuminator

<50 mW

DUAL BEAM AIMING LASERS OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE & ELEVATION
- HIGH & LOW POWER MODES
- INCLUDES REMOTE CABLE PORT
- ACTIVATION/LOW BATTERY INDICATOR LIGHT



Push-Button Activation

Remote cable- pressure-pad switch activation; tap and release for momentary activation; tap twice for 5-minute continuous ON.



Quick Release HT Mount

Self-adjusting mount attaches to any Picatinny rail.



Dual Remote Activation Ports

Provides visible override.

SPECIFICATIONS

	DBAL-A ³ 9008	DBAL-A ³ 9009	DBAL-A ³ 10010/10010D**	DBAL-A ³ 10011/10011D**
TYPE				
- VISIBLE RED OR GREEN	Green - Class 3R	Green - Class 3R	Green - Class 3B	Red - Class 3B
- IR LASER POINTER	IR - Class 1	IR - Class 1	IR - Class 3B	IR - Class 3B
- IR ILLUMINATOR	IR - Class 3R	IR - Class 3R	IR - Class 3B	IR - Class 3B
POWER OUTPUT				
- VISIBLE RED / GREEN LASER	<5mW	<5mW	<50mW	<80mW
- IR LASER POINTER	<0.7mW	<0.7mW	<50mW	<50mW
- IR ILLUMINATOR	<3.6mW	<3.6mW	<50mW	<50mW
- IR LED ILLUMINATOR	-	-	-	-
- WHITE LIGHT	-	-	-	-
WAVELENGTH				
- VISIBLE RED LASER				642 nm +/-3%
- VISIBLE GREEN LASER	515 nm +/-3%	515 nm +/-3%	520 nm +/-3%	-
- IR LASER POINTER	850 nm +/-3%	850 nm +/-3%	830 nm +/-3%	830 +/-3% nm
- IR LED ILLUMINATOR	830 nm +/-3%	830 nm +/-3%	830 nm +/-3%	830 +/-3% nm
BEAM DIVERGENCE				
- VISIBLE LASER	0.5 +0.5/-0.2 mrad	0.5 +0.5/-0.2 mrad	0.5 +0.5/-0.2 mrad	0.5 +0.5/-0.2 mrad
- IR LASER POINTER	0.5 +0.5/-0.2 mrad	0.5 +0.5/-0.2 mrad	0.5 +0.5/-0.2 mrad	0.5 +0.5/-0.2 mrad
- IR LED ILLUMINATOR	95 to 195 mrad	95 to 195 mrad	1.0 to 195 mrad	1.0 to 195 mrad
- WHITE LIGHT	-	-	-	-
RANGE/VISIBILITY (DAY)*				
- VISIBLE RED LASER	-	-		120m
- VISIBLE GREEN LASER	35m	35m	100m	-
- IR LASER POINTER	1400m	1400m	2500m	2500m
- IR ILLUMINATOR	175m	175m	2500m	2500m
- WHITE LIGHT	-	-		-
TEMPERATURE	-20° C to +65° C	-20° C to +65° C	-20° C to +65° C	-40° C to +65° C
BATTERY	CR 123A	CR 123A	CR 123A	CR 123A
BATTERY LIFE (MODE DEPENDENT)	"Dual high mode >3.0 +/- 0.5 hours Low IR pointer only >100 hours"	"Dual high mode >3.0 +/- 0.5 hours Low IR pointer only >100 hours"	"Dual high mode >3.0 +/- 0.5 hours Low IR pointer only >100 hours"	"Dual high mode >3.0 +/- 0.5 hours Low IR pointer only >100 hours"
MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
COLOR	Black	Desert Sand	Black/Desert Sand	Black/Desert Sand
WEIGHT (WITH BATTERY)	7.7 +0.4 oz. / 218 +11.2 grams	7.7 +0.4 oz. / 218 +11.2 grams	7.7 +0.4 oz. / 218 +11.2 grams	7.7 +0.4 oz. / 218 +11.2 grams
DIMENSIONS (INCHES)	3.7 (L) x 2.8 (W) x 1.7 (H) in.	3.7 (L) x 2.8 (W) x 1.7 (H) in.	3.7 (L) x 2.8 (W) x 1.7 (H) in.	3.7 (L) x 2.8 (W) x 1.7 (H) in.
WATERPROOF	Submersible to 10m for 2 hours	Submersible to 10m for 2 hours	Submersible to 10m for 2 hours	Submersible to 10m for 2 hours
MOUNT	QD HT Mount	QD HT Mount	QD HT Mount	QD HT Mount
WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes	Yes
ACTIVATION SWITCH	Integrated Push Button	Integrated Push Button	Integrated Push Button	Integrated Push Button
REMOTE CABLE PRESSURE PAD	Yes	Yes	Yes	Yes
WARRANTY	2 -Year	2 -Year	2 -Year	2 -Year
MSRP PRICE	\$1,899.99	\$1,954.99	\$3,234.99	\$2,332.99

*NOTE: The figures in the table above are for guidance only. Range performance will vary depending on ambient light level, atmospheric conditions, target reflectivity, and imaging system performance. These figures are a composite of tests using the highest power settings performed on a variety of occasions. IR tests used a PVS-14 in starlight with no moon or urban lighting. Visible laser tests were performed in daylight under a variety of lighting conditions.

**Restricted to LE/Military only. Contact Steiner directly for quote and availability.

STEINER 
Nothing Escapes You

DUAL BEAM AIMING LASERS



OWN THE
NIGHT.
SIEZE
THE DAY.

DBAL SERIES LASERS
PROVIDE A TACTICAL
ADVANTAGE ON
THE BATTLEFIELD,
ESPECIALLY WHEN
DAY TURNS TO
NIGHT. RUGGED,
RELIABLE AND EASY
TO OPERATE, GIVE
YOURSELF THE
ADVANTAGE.

DBAL SERIES DBAL-D²

DUAL BEAM AIMING LASER
WITH IR LED ILLUMINATOR

High-definition aspherical, telescopic IR LED illuminator significantly enhances night-vision performance. Features a 2° to 30° adjustable illumination flood and offers an eye-safe means of illuminating distances greater than 1,000 meters.



ITEM NO. 9001-BLACK UPC 000381890016

ITEM NO. 9002-DESERT SAND UPC 000381890023

Visible Laser	IR Pointer	IR LED Illuminator
<5 mW green laser Class IIIa	<0.7 mW	<600 mW

DUAL BEAM AIMING LASERS OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE & ELEVATION
- HIGH & LOW POWER MODES
- INCLUDES REMOTE CABLE PORT
- ACTIVATION/LOW BATTERY INDICATOR LIGHT



DBAL SERIES DBAL-I²

DUAL BEAM AIMING LASER - INTELLIGENT²

The most lightweight model in the DBAL Series, this "intelligent" laser provides extreme accuracy in low-light conditions and can be used with night-vision devices.

ITEM NO. 9007-BLACK UPC 000381890078

Visible Laser	IR Pointer	IR Illuminator
-	<0.7 mW	<4 mW





Push-Button Activation

Remote cable-pressure-pad switch activation; tap and release for momentary activation; tap twice for 5-minute continuous ON.



Quick Release HT Mount

Self-adjusting mount attaches to any Picatinny rail.



Low Profile Design

Can be mounted on top or side rails.

SPECIFICATIONS

	DBAL-D ² 9001	DBAL-D ² 9002	DBAL-I ² 9007
TYPE			
- VISIBLE RED OR GREEN	Green - Class 3R	Green - Class 3R	-
- IR LASER POINTER	IR - Class 1	IR - Class 1	IR - Class 1
- IR ILLUMINATOR	-	-	IR - Class 3R
POWER OUTPUT			
- VISIBLE RED / GREEN LASER			
- IR LASER POINTER	<5 mW	<5 mW	-
- IR ILLUMINATOR	<0.7 mW	<0.7 mW	<0.7 mW
- IR LED ILLUMINATOR	-	-	<4 mW
- WHITE LIGHT	<600 mW	<600 mW	-
WAVELENGTH			
- VISIBLE RED LASER	-	-	-
- VISIBLE GREEN LASER	525 nm +/-3%	525 nm +/-3%	-
- IR LASER POINTER	840 nm +/-3%	840 nm +/-3%	830 +25/-5 nm
- IR LED ILLUMINATOR	840 nm +/-3%	840 nm +/-3%	830 +25/-5 nm
BEAM DIVERGENCE			
- VISIBLE LASER	<0.8 mRad	<0.8 mRad	-
- IR LASER POINTER	<0.8 mRad	<0.8 mRad	0.5 +0.5/-0.2 mrad
- IR LED ILLUMINATOR	2° to 30°	2° to 30°	95 to 195 mRad
- WHITE LIGHT			-
RANGE/VISIBILITY (DAY)*			
- VISIBLE RED LASER	35m	35m	-
- VISIBLE GREEN LASER	-	-	-
- IR LASER POINTER	1400m	1400m	1400 m
- IR ILLUMINATOR	1000m	1000m	175 m
- WHITE LIGHT	-	-	-
TEMPERATURE	-10° C to +60° C	-10° C to +60° C	-10°C to +60°C
BATTERY	CR123A (1)	CR123A (1)	CR123A (1)
BATTERY LIFE (MODE DEPENDENT)	>3 Hours	>3 Hours	> 3 Hours
MATERIAL	Aircraft Aluminum	Aircraft Aluminum	Aircraft Aluminum
COLOR	Black	Desert Sand	Black
WEIGHT (WITH BATTERY)	12.5 oz	12.5 oz	8.0 oz.
DIMENSIONS (INCHES)	3.9 x 3.4 x 1.6 in.	3.9 x 3.4 x 1.6 in.	"3.5 (L) x 2.75 (W) x 1.59 (H) 8.9 x 7.0 x 4.0 cm"
WATERPROOF	Submersible to 5 m	Submersible to 5 m	Submersible to 5 m
MOUNT	QD HT Mount	QD HT Mount	QD HT Mount
WINDAGE & ELEVATION ADJUSTMENT	Yes	Yes	Yes
ACTIVATION SWITCH	Integrated Push Button and Remote Cable	Integrated Push Button and Remote Cable	Integrated Push Button and Remote Cable
REMOTE CABLE PRESSURE PAD	Yes	Yes	Yes
WARRANTY	2-Year	2-Year	2-Year
MSRP PRICE	\$1,899.99	\$1,954.99	\$1,368.99

STEINER EOPTICS 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase. The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties

*NOTE: The figures in the table above are for guidance only. Range performance will vary depending on ambient light level, atmospheric conditions, target reflectivity, and imaging system performance. These figures are a composite of tests using the highest power settings performed on a variety of occasions. IR tests used a PVS-14 in starlight with no moon or urban lighting. Visible laser tests were performed in daylight under a variety of lighting conditions.

STEINER 
Nothing Escapes You

CLOSE QUARTER BATTLE SERIES



GIVE
YOURSELF
AN UNFAIR
ADVANTAGE.

MOST CLOSE-
QUARTER BATTLE
ENCOUNTERS ARE
BETWEEN 3 TO
10 YARDS. THESE
LIGHTWEIGHT VISIBLE
AND IR LASER SIGHTS
DELIVER SPEED,
ACCURACY AND
GREATER ODDS FOR
SUCCESS.



OTAL-C

Designed for the M-4 platform, the visible red laser beam on this "classic" model projects around the front sight. It can be mounted in front of scopes, holographic sights, and night-vision devices.

ITEM NO. 9056-BLACK UPC 000381890566

Visible Laser

IR Pointer

-

<0.7 mW

CLOSE QUARTER BATTLE SERIES OVERALL FEATURES

- FULLY ADJUSTABLE WINDAGE & ELEVATION
- PUSH-BUTTON OR REMOTE CABLE PAD ACTIVATION
- INCLUDES REMOTE CABLE PORT
- QUICK, CONVENIENT MOUNTING OPTIONS
- CO-ALIGNED VISIBLE AND IR LASERS
- INTEGRATED PUSH-BUTTON ACTIVATION





HT Mount

HT Mount for quick release



Fully Adjustable

Windage and elevation are easily adjusted.



IR Laser option

Can be configured with a visible or IR laser.

SPECIFICATIONS

OTAL-C 9056

TYPE

- VISIBLE RED OR GREEN
- IR LASER POINTER
- IR ILLUMINATOR

-
IR - Class 1
-

POWER OUTPUT

- VISIBLE RED / GREEN LASER
- IR LASER POINTER
- IR ILLUMINATOR
- IR LED ILLUMINATOR
- WHITE LIGHT

-
>0.7 mW
-
-
-

WAVELENGTH

- VISIBLE RED LASER
- VISIBLE GREEN LASER
- IR LASER POINTER
- IR LED ILLUMINATOR

-
-
840 nm +/-3%
-

BEAM DIVERGENCE

- VISIBLE LASER
- IR LASER POINTER
- IR LED ILLUMINATOR
- WHITE LIGHT

-
<0.8 mRad
-
-

RANGE/VISIBILITY (DAY)*

- VISIBLE RED LASER
- VISIBLE GREEN LASER
- IR LASER POINTER
- IR ILLUMINATOR
- WHITE LIGHT

-
-
1400m
-
-

TEMPERATURE

-40° C to +65° C

BATTERY

AA (1)

BATTERY LIFE (MODE DEPENDENT)

>3 Hours

MATERIAL

Aircraft Aluminum

COLOR

Black

WEIGHT (WITH BATTERY)

5.6 oz

DIMENSIONS (INCHES)

2.8 x 1.4 x 0.75 in

WATERPROOF

Submersible to 5 m

MOUNT

QD HT Mount

WINDAGE & ELEVATION ADJUSTMENT

Yes

REMOTE CABLE PRESSURE PAD

Yes

WARRANTY

2-Year

MSRP PRICE

\$774.99

STEINER EOPTICS 2-YEAR WARRANTY

eOptics warrants its products against defects in workmanship and materials for a period of 2 years from the date of purchase. The warranty covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights. Valid in U.S. and Canada only.

For complete warranty information go to www.steiner-optics.com/product-warranties

STEINER 
Nothing Escapes You





STEINER ACCESSORIES

FOR YOUR SCOPE

GET THE PROPER
ACCESSORIES TO
MAXIMIZE THE
EFFECTIVENESS
OF YOUR STEINER
RIFLESCOPE



ANTI-REFLECTION DEVICES (ARD)

Steiner ARDs reduce up to 100% of reflection or "glint" from objective lenses with their honeycomb pattern. Available for M-Series riflescopes.

ITEM NO. 5901 (3-15X50MM M5XI) UPC 000381859013
ITEM NO. 5902 (5-25X56MM M5XI) UPC 000381859020



SUNSHADES

Steiner sunshades help reduce glare and sun reflections off riflescope objective lenses. The black anodized sunshades can be easily attached by screwing onto the objective housing. Available for M-Series Military riflescopes.

ITEM NO. 5903 (3-15X50MM M5XI) UPC 000381859037
ITEM NO. 5904 (5-25X56MM M5XI) UPC 000381859044



THROW LEVER T5Xi / P4Xi

Designed for fast and easy magnification changes from any shooting position with a simple push or pull on the lever. Easy to attach without modifying the power ring.

ITEM NO. 5927 UPC 000381859273



SCOPE COVERS

Scopecoat scope covers are designed to fit Steiner scopes for maximum protection of your Steiner Optic. High quality neoprene/nylon laminate will protect your optic from dust, dirt, dings, scratches, and moisture. Elongated sides allow complete coverage for your turrets.

ITEM NO. 7701 (SCOPE COVER 10.0" X 50MM)
UPC 000381877017
ITEM NO. 7702 (SCOPE COVER 12.5" X 42MM)
UPC 000381877024
ITEM NO. 7703 (SCOPE COVER 15.5" X 60MM)
UPC 000381877031



ANTI-REFLECTION DEVICES (ARD)

Steiner ARDs reduce up to 100% of reflection or "glint" from objective lenses with their honeycomb pattern. Available for M-Series binoculars.

ITEM NO. 730 (8X30/6X30/7X35/7X30 PORRO)
UPC 000381807304
ITEM NO. 750 (7X50 AND 10X50 PORRO)
UPC 000381807502

FOR YOUR BINOCULARS

ADD MORE
CONVENIENCE
AND COMFORT TO
YOUR STEINER
BINOCULARS
WITH THESE FINE
ACCESSORIES



CLICLOC® BODY HARNESS SYSTEM

Permits hands-free binocular carry. Raise the binocular to your eyes for quick viewing; return it to your chest when done. Binocular is securely attached to the adjustable harness, and has removable quick-release buckles.

ITEM NO. 986 UPC 077068009863
(fits all models, except compacts)



FLOAT STRAP

Padded in a visible yellow, long-lasting waterproof jacket, the Steiner marine binocular Float Strap with ClicLoc® adapts to most marine binoculars and many others.

ITEM NO. 76803 UPC 840229100989
(fits Navigator Pro, Commander and Global Commander 7x50 models)
ITEM NO. 76804 UPC 840229100996
(fits Navigator Pro 7x30 model only)



BINOCULAR CASES

Protect your binocular and transport it easily with a stylish Steiner binocular case.

ITEM NO. 605 (PORRO, SHORT BARREL: 8X30, 6X30, 7X35, 7X30)
ITEM NO. 606 (PORRO, SHORT BARREL: 7X50, 10X50)
ITEM NO. 609 (PORRO, LONG BARREL: 7X50, 8X56, 10X50, 12X56)
UPC 000381806093
ITEM NO. 610 (PORRO, LONG BARREL: 9X40, 10X40, 12X40)
ITEM NO. 612 (DELUXE BINOCULAR CASE: 30MM PORRO)
UPC 000381806123
ITEM NO. 613 (DELUXE BINOCULAR CASE: 42MM ROOF)
UPC 000381806130
ITEM NO. 977 (BLUE; PORRO, SHORT BARREL: 8X30, 7X30)
UPC 000381809773
ITEM NO. 978 (CAMO GEAR BAG: 15X80, 20X80)



BINOCULAR COVERS

Protect your binocular and transport it easily with a stylish Steiner binocular cover.

ITEM NO. 7704 (ROOF BLK 842, 1042) UPC 000381877048
ITEM NO. 7705 (ROOF OD 842, 1042) UPC 000381877055
ITEM NO. 7706 (PORRO BLK 830) UPC 000381877062
ITEM NO. 7707 (PORRO OD 830) UPC 000381877079
ITEM NO. 7708 (PORRO BLK 750, 1050) UPC 000381877086
ITEM NO. 7709 (PORRO OD 750, 1050) UPC 000381877093

STEINER OPTICS **PRODUCT WARRANTIES**

The Steiner Heritage™ Warranty means we stand behind our products. Over half a century of experience building rugged and reliable, mil-spec product and supplying them to armed forces all around the world allows us to have this kind of confidence. We at Steiner are totally committed to the very highest standards of quality, dependability, and most of all customer satisfaction. Our Heritage™ Warranty assures you of that commitment.



STEINER HERITAGE™ WARRANTY - FOR THE LIFE OF THE PRODUCT

Covers Binoculars, Riflescopes, Rings, and Mounts.

Valid in U.S. and Canada only on items manufactured since 2014.

Products manufactured prior to 2014 are covered by the warranty as stated on the original packaging. For warranties in other countries, please visit www.Steiner.de

We will repair or replace the product at no charge to you. The Steiner Heritage Warranty does not cover loss, theft, deliberate damage or cosmetic damage that does not hinder the performance of the product.

- No warranty card needed.
- No receipt required.
- Warranty is fully transferable to future owners of the product.
- Excludes electronic components which are covered by a 3-year warranty
- Excludes accessories.

To register your product online, visit the Binoculars and Riflescopes Warranty Registration page at <https://www.steiner-optics.com/optics-product-registration>

STEINER 2-YEAR WARRANTY

Covers all Night Vision Devices, Laser Aiming Solutions, Beacons and Battle Lights.

Valid in U.S. and Canada only.

For warranties in other countries, please visit www.Steiner.de

For 2 years from the date of purchase, this warranty covers all laser, optical and electrical components, materials and workmanship.

Warranty is void if the product has been abused, misused, neglected, or disassembled prior to the return to the manufacturer.

To register your product online, visit the Laser Devices and Battle Lights Warranty Registration page. <https://www.steiner-optics.com/optics-product-registration>

STEINER CUSTOMER SERVICE

Your Steiner optics are backed by a commitment to optimum performance and your complete satisfaction - today, every day, for generations to come. Any questions or concerns will be quickly addressed by experts at our national headquarters in Greeley, Colorado. Just call us at **970-356-1670 (888-550-6255 toll-free)** Monday through Friday from 8:00 AM to 5:00 PM MST. Or, email us at **info@steiner-optics.com**. To post ideas, comments or suggestions, go to our Facebook page. We always welcome your input.

STEINER OPTICS **SALES REPRESENTATIVES**

COMMERCIAL SALES

Please call

STEINER DEALER SUPPORT

Tel: 970-356-1670

Toll Free: 888-550-6255

LAW ENFORCEMENT / GOVERNMENT SALES

ELITE OUTDOOR SPORTS Tel: 517-420-2212

PERPETUAL MARKETING Tel: 757-288-6604

SPECIALTY ELECTRONICS REP GROUP

FOTO'S FINEST | BRIAN OSHRIN

SPECIALTY ELECTRONICS

Tel: 631-928-8080

Fax: 631-928-8001





.....

WWW.STEINER-OPTICS.COM

UNITED STATES

STEINER-OPTICS
1015 39th Avenue
Greeley, CO 80634
Tel: 970-356-1670
Toll free: 888-550-6255
Fax: 970-356-8702

CANADA

STOEGER CANADA LTD.
Unit 1, 1801 Wentworth St.
Whitby, V1N 8R6
Tel: 905-436-9077
Toll free: 800-263-1945
Fax: 905-436-9079



STEINER-OPTICS is a
Beretta Holding company